

HUMPHREYS'

A vintage illustration of a young girl with brown hair, wearing a light-colored dress with a ruffled collar and a matching headscarf. She is lying on her stomach in a lush field of green grass and white daisies. Two butterflies, one orange and black and one pink and black, are flying in the sky above her. The background shows a soft, hazy landscape with more flowers and trees.

SPECIFIC MANUAL

DR. HUMPHREYS' SPECIFICS.

Directions with each Vial in Five Languages,
English, German, Spanish, Portuguese and French.


No.	CURES.	Small Vials.	Large Vials.
1.	Fever, Congestion, Inflammations.....	25	50
2.	Worm Fever, or Worm Disease.....	25	50
3.	Colic, Crying and Wakefulness of Infants.....	25	50
4.	Diarrhea of Children and Adults.....	25	50
5.	Dysentery, Gripings, Bilious Colic.....	25	50
6.	Cholera, Cholera Morbus, Vomiting....	25	50
7.	Coughs, Colds, Hoarseness, Bronchitis.....	25	50
8.	Toothache, Faceache, Neuralgia.....	25	50
9.	Headache, Sick Headache, Vertigo.....	25	50
10.	Dyspepsia, Biliousness, Costiveness....	25	50
11.	Suppressed Menses, or Scanty.....	25	50
12.	Leucorrhea, or Profuse Menses.....	25	50
13.	Croup, Hoarse Cough, Difficult Breathing.....	25	50
14.	Salt Rheum, Eruptions, Erysipelas....	25	50
15.	Rheumatism, or Rheumatic Pains.....	25	50
16.	Fever and Ague, Intermittent Fever.....	50	
17.	Piles, Blind or Bleeding.....	50	
18.	Ophthalmia, Weak or Inflamed Eyes.....	50	
19.	Catarrh, or Influenza.....	50	
20.	Whooping Cough, Spasmodic Cough.....	50	
21.	Asthma, Oppressed, Difficult Breathing.....	50	
22.	Ear Discharge, Hardness of Hearing.....	50	
23.	Scrofula, Swellings and Ulcers.....	50	
24.	General Debility, or Physical Weakness....	50	
25.	Dropsy, Fluid Accumulations.....	50	
26.	Sea-Sickness, Nausea, Vomiting.....	50	
27.	Kidney Disease, Gravel, Calculi.....	50	
28.	Nervous Debility, Vital Weakness.....	1.00	
	Powder, in Vial, to use with No. 28....	\$2.00.	
	Package containing 5 Vials of No. 28 and Vial of Powder....	\$5.00.	
29.	Sore Mouth, or Canker.....	50	
30.	Urinary Incontinence, Wetting the Bed....	50	
31.	Painful Menses, Pruritis.....	50	
32.	Diseases of the Heart, Palpitations.....	1.00	
33.	Epilepsy, St. Vitus' Dance.....	1.00	
34.	Diphtheria, or Ulcerated Sore Throat.....	50	
35.	Chronic Congestions, Headaches.....	50	

SENT, POST OR EXPRESS PAID, ON RECEIPT OF PRICE.

FAMILY CASES.

No.

1. With **35 Three Drachm Bottles**,
POLISHED BLACK WALNUT CASE, lined
with purple silk velvet, nickel trim-
mings, lock and key; contains the 35
Specifics (32 fifty cent bottles and 3
one dollar bottles), and is accompanied
by DR. HUMPHREYS' MENTOR (550 pages)
cloth binding and steel engraving of
the author. Price.....\$10.00
5. With **20 Three Drachm Bottles**,
CASE, contains 20 fifty cent bottles of
Specifics with the Mentor. Price..... 5.00
7. POCKET CASE, With **20 Three Drachm**
Bottles, MOROCCO CASE, (double flat),
velvet lined and Mentor; contains 20
fifty cent bottles of Specifics. Price... 8.00
8. POCKET CASE, With **10 Three Drachm**
Bottles, contains 10 fifty cent bottles of
Specifics and DR. HUMPHREYS' MANUAL.
Price3.50
12. With **35 One Ounce glass stop-**
pered bottles, POLISHED WALNUT CASE,
velvet lined; contains 35 Specifics (32
one dollar bottles and 3 two dollar
bottles) with DR. HUMPHREYS' MENTOR.
Price.....25.00
13. With **35 One Ounce Bottles**, cork
stoppers, POLISHED WALNUT CASE, vel-
vet lined, contains 35 Specifics (32 one
dollar bottles and 3 two dollar bottles)
with DR. HUMPHREYS' MENTOR. Price..20.00
14. With **12 One Ounce Bottles**
Specifics with Mentor. Price..... 9.00

 All Cases sent prepaid on receipt of price.



Family Case No. 1.

Every Family should have its case of **Humphreys' Specifics**. They are as necessary as Railroads, Telegraphs or Sewing Machines. More than half your sickness will be prevented by their use. You allay pain, relieve suffering, save doctor's bills and preserve the health of the household. *A Family Case* repays itself in a hundred ways.

Humphreys' Mentor, or Family Adviser,

550 pages, royal octavo, printed on tinted paper. Bound in Cloth. Invaluable to those using the Specifics. Price, \$1.00.

MANUAL
—OF—
Dr. F. Humphreys,
FOR THE
ADMINISTRATION OF MEDICINE
—AND—
Cure of Disease.

F. HUMPHREYS, M. D.,

Late Professor of Institutes of Homeopathy, Pathology,
and Medical Practice in the Homeopathic Medical
College of Pennsylvania, at Philadelphia; author of
"Dysentery and its Homeopathic Treatment,"
"Cholera and its Homeopathic Treatment," "Dis-
eases of the Sexual System," and "Prover of Apis
Mellifica, Plantago Major, etc., etc., etc."

NEW YORK:

HUMPHREYS' HOM. MEDICINE CO.,
Nos. 111 & 113 WILLIAM STREET,
61, 63 & 65 JOHN STREET.

1890.

SPECIAL PRESCRIPTIONS.

DR. HUMPHREYS' has used in his extensive practice for many years, particular prescriptions which have proved so uniformly curative and are so often called for, that he has been induced to put them up in popular form with full directions for use, and to catalogue them as his "SPECIAL PRESCRIPTIONS"—**For List see inside last cover.**

Copyrighted 1889, by
Humphreys' H. Medicine Company.

~~43~~ Parties using HUMPHREYS' SPECIFICS in quantity will find it economical to order the ONE OUNCE VIALS, as they contain over three times as much as the usual large vial, and are sold or sent at \$1.00 each, or \$2.00 per oz. for the double-price numbers (viz., Nos. 28, 32 & 33).

Customers will receive a cloth bound copy of this Manual on direct application.

MANUAL.

INTRODUCTORY.

AS IT IS the duty of every physician to cure whatever of disease, relieve whatever of suffering and prolong whatever of life he may; so I hold it to be my duty to place the knowledge and the means for accomplishing these objects in the hands of the people in the manner best calculated to reach the greatest number and accomplish the greatest good.

The first and most easily curable stage of every disease is commonly treated by the parent, the friend or the patient himself. Hence, they should be informed upon the subject and provided with such *harmless, simple and effective* means as will most safely and readily attain this end. Almost every disease may be easily cured at its commencement, as the experience of thousands who have long used HUMPHREYS' SPECIFICS abundantly proves, if they make timely use of the appropriate SPECIFICS; while on the other hand, thousands of serious and even fatal cases became such by needless delay or the resort to unsafe or injurious medicines.

If in treating ourselves, children or friends, we must resort to crude, injurious or dangerous compounds or drugs, the after effects of which produce evil, we might better desist for fear of doing harm. But in using HUMPHREYS' SPECIFICS no such danger exists. Each and every one is prepared under the immediate supervision of an able and experienced physician, and every possible precaution is taken, not only that every Specific shall be what it represents, but that it *is absolutely harmless*. An experience of their use in hundreds of thousands of cases, extending over a period of more than forty years, under almost every variety of subject and circumstance, has proved them to be absolutely free from evil and only productive of good.

THE GREAT FEATURE of this system is, that by a system of SPECIFICS prepared by a skillful physician who has devoted his life to the subject, the layman at once knows WHAT TO GIVE, and HOW TO GIVE IT, and thus act with certainty and positiveness—an important element of success.

HUMPHREYS' SPECIFICS are the result of a discovery of a particular remedy or specific for EACH PARTICULAR DISEASE. This is accomplished according to a law announced by me to the profession thirty-five years ago, and since elaborated and extended to the whole series of my SPECIFICS.

Their use has extended over the entire country, and to many foreign countries, and hundreds of thousands of families use no other curative measures, but find his SPECIFICS by far the most

SIMPLE, CONVENIENT and RELIABLE OF ALL DOMESTIC REMEDIES.

These SPECIFICS are so prepared as to hold their virtues for YEARS.

HUMPHREYS' SPECIFICS only cure disease. Those using them become more *firm* and *vigorous*, and *less liable to the attacks of disease*. They cure, not because they are strong medicines or violent poisons, but because they have a *specific* relation to disease, and hence cure it.

IT IS A FACT confirmed by the most ample experience that those who habitually resort to HUMPHREYS' SPECIFICS for aid and cure in their illness, HAVE LESS SICKNESS, BETTER HEALTH, BETTER GROWTH, longer and more vigorous lives, than those treated by other methods. The fact is explained in the circumstance that these SPECIFICS, because of the method of their composition *have a deeper and wider range of action* than other medicines, and thus constantly tend to eradicate constitutional weakness and disease.

The list of HUMPHREYS' SPECIFICS contains preventives and cures for almost every form of ACUTE ILLNESS OR DISEASE which it is safe or wise for the non-professional to treat, and with each Specific such counsel and directions, either in this Manual, or upon the wrapper, as will lead to the safest and happiest results. ACUTE DISEASES may come at any time from exposure, and each has its Specific, whose timely use is invaluable—not only saving sickness, but often life itself. The diseases of INFANCY and CHILDHOOD—which

not only annoy, but either carry off their victims or lay the foundation of life-long diseases—all find their prompt cure in the list of SPECIFICS, and have proved a veritable godsend to thousands of families. For a CHRONIC DISEASE OF INFIRMITY which has been the dark spot of one's life, and for the cure of which one has "suffered many things of many physicians" without avail, the persistent use of one or more SPECIFICS, taken without pain or inconvenience, has proved the golden key which has restored the feeble to strength and vigor.

Thousands who suffer from some delicate infirmity or weakness known only to themselves, which they shrink from disclosing to a physician, have found in the proper SPECIFIC a cure which has turned the winter of life into May.

Thousands of families find the use of a CASE of HUMPHREYS' SPECIFICS a source of relief and refuge in these and hundreds of instances which could be named. They are saved from undue haste and needless alarm; saved from the danger of drugs and injurious medicines, and from needless professional calls and expense. The health and vigor of the household is improved as well as a timely saving in money and expenditure. The value of a CASE of HUMPHREYS' SPECIFICS in a family can scarcely be overestimated.

The great advantage over every other system or medicine is briefly:—

THEY ARE SIMPLE—so that no mistake is made in selecting or giving the remedy.

THEY ARE HARMLESS—so that if taken by mistake or accident, no injury results.

THEY ARE CONVENIENT—suffering at once under one the ailments and diseases, to which all are liable.

THEY ARE EFFECTIVE—By their timely and five-steps-of-all-illnesses may be arrested without recourse to resort to calling a physician, thus saving a vast amount of suffering and a multitude of lives.

THEY ARE UNFADING—In the entire list there is not one which has not been guaranteed at the most highly experienced cases and never repeated, as to its great curative value and efficacy.

THEY ARE ECONOMICAL—The use of a few doses of pellets often saves a visit from the doctor, and a long course of sickness, with its heavy expenses.

DIET AND REGIMEN FOR THE SICK.

The diet and regimen for the sick is a matter of importance. A disease may be aggravated or prolonged by improper food or habits, and some diseases of their own tendency may even be entirely cured by observing a proper regimen for a few days. Other diseases again use their systems to such an extent that some of life, or limbs, or the patient. A recovery is only to be expected with a change in nature, habits or living. We cannot qualify for every case, much must be left for the good judgment and discretion of the patient. Usually with the treatment

of each disease or class of diseases the kind of diet or food proper to be taken is given in the directions with each Specific, and in the **MANUAL and MENTOR.**

In general, sick people need but little to eat, and that of the plainest and yet most nourishing and easily digested kind that can be procured—not too often or too much, or too rich food. If there is no appetite, nature indicates that but little or no food should be given, as that which is taken, unless easily digested, will not be assimilated, and may hence do more harm than good; and while some things may be digested and prove nourishing, others may act as mere irritants, often aggravating the disease or retarding recovery.

Food.—When patients are confined to their room or bed, the following are among the most easily digested, nourishing and wholesome kinds of food: Indian-meal, oat meal or farina gruel (which should be thoroughly cooked), or milk-toast and boiled rice; for drink, toast-water, rice-water and drinks made of fruit-jellies, or any ripe or dried fruits, and apples or other fruits baked or stewed, except in diarrhea and dysentery. As persons recover the diet may be more liberal and nourishing, and yet they should avoid the danger of relapse from over-eating. Feeble persons need meat-soups, beef-tea, fish and fowl variously prepared; and sometimes wine and other stimulants, but always in moderation, as there is more danger from eating or

drinking too much than too little. Lemonade may be allowed in fever and rheumatism. Coffee and green tea are objectionable; cocoa and black tea are permitted. Coffee and green tea may be allowed to the sick where persons have become habituated to their use and suffer from their deprivation. Those who are watching, or performing severe or long continued physical or mental labor are wonderfully sustained by an occasional cup of cocoa, tea or coffee, and the waste of the system is thus prevented to a great degree. Tobacco should only be used in moderation, if at all, although its moderate use, to persons accustomed to it, may not be injurious to the action of medicines. Yet it is evident that for these mild specifics to manifest their full benign effects the system must not be saturated with narcotic or medicinal influences.

Exercise is important to the invalid and those of sedentary habits, yet, to be useful it should be attended with pleasurable excitement and freedom from labor or anxious thought. In walking for exercise, it is better to go on some errand or for some purpose rather than for the mere walk itself. In acute diseases exercise is rarely required until convalescence is fairly established and it must then be taken in moderation. If exercise exhaust one, excites vertigo, dizziness, or occasions pain or ready fatigue, it will not prove beneficial. This is especially the case with sick and feeble persons, and may be considered a general rule.

HOW TO SELECT AND TAKE THE SPECIFICS.

In general there will be no difficulty in deciding what particular Specific is required for any case. Read over the account of the disease in the MANUAL and compare the same with the symptoms present in the person. Read the directions for preparing and giving the Specific, and then follow them strictly, USING NO OTHER MEDICINES AND MAKING NO APPLICATIONS except such as are directed in the book or on the wrapper.

When the directions are to take the Specific dry, six pellets should be placed in the mouth and slowly dissolved—better not chewed or swallowed whole. The vial should not be turned against the tongue or breathed into, or the pellets turned into a moist or perspiring hand. If tobacco is used, rinse the mouth before taking the pellets. For *children* two, and *infants* one pellet.

When the Specific is to be taken in FLUID FORM, dissolve twelve pellets in six dessert spoonfuls of pure spring or well-water, by crushing and stirring the medicine until it entirely disappears. (For grown persons a table-spoonful, and for children or infants a dessert or tea-spoonful is a proper dose.)

Two or more SPECIFICS may be given IN ALTERNATION, that is first one, and then the other, at the proper interval. This may be done when one

Specific does not seem to meet the entire case; or where a patient appears to have the symptoms of two complaints of the same kind, as for instance, Cough with Fever, or Catarrh with Dyspepsia, or Headache and Dyspepsia, or some system derangement, or Dysentery and some form of Kidney or Urinary Disease. Usually it is better to give but one *Specific* for the most prominent complaint or complaint in repeated doses, until that symptom or disease is relieved. Then administer the next most fitting *Specific* for the remaining symptoms. Frequently the less prominent complaint will disappear under the action of the *Specific* given for the more important one and thus the entire disease vanish. Or, after having given the second *Specific* a new trial, we can go back to the use of the first one again with better results as the condition of the system has been modified by the action of the first medicine.

This successive use of *Specifics* is allowable. If the *Specific* apparently suited for does not relieve after a fair trial, then apply the next most indicated one, or give the *Specific* *Alternatives*. That is give a dose of one *Specific* as directed, and after waiting the proper interval, give a dose of the other, and after the proper interval give the first one more, and so on in alternation at such intervals as the directions require.

The usual time for taking medicine is in the morning on rising and half an hour before each meal, and at night on retiring to rest, thus making *four doses* per day.

The REPETITION OF DOSES depends upon circumstances. In ACUTE DISEASES and urgent cases the Specific acts best when dissolved in *pure water*, and a spoonful given every fifteen minutes, half-hour, hour, two hours, according to the urgency of the case. The frequency of the doses may be diminished as the patient improves. In most cases of CHRONIC DISEASE, a dose in the morning and at night will be sufficient, or at most four times a day; that is, before each meal and on going to bed. It is not the quantity or frequency of doses, but the specific action of the remedy which cures.

DISEASES OF INFANTS AND CHILDREN.

Fevers are common at from one to ten years of age, and are often brought on from over-fatigue, exposure to the heat of the sun, cold drafts of air, improper food, worms, etc. They are known by the red face, swelling and throbbing of the veins of the neck, hot head, quick pulse and rapid breathing. Such Fevers find their prompt cure in the *Specific No. One*, which soon quiets the fever, induces perspiration, and thus cures the disease.

TREATMENT.—Dissolve twelve pellets of the *Specific No. One* in six teaspoonfuls of water, of which give one spoonful every hour. Then dissolve twelve more pellets of the same Specific in the same manner, and give a teaspoonful every two hours until profuse perspiration

comes on and the disease is broken. Give freely of water, and often sponge off the body with tepid water.

Scarlet Fever is usually considered a very formidable disease, but under Homoeopathic treatment it has lost much of its terror. The first symptom is, usually, vomiting, soon succeeded by violent heat, *very rapid pulse*, and sore throat, which may be known by the pain on swallowing. Soon a rash or redness breaks spreads over the body, commencing on the arms, neck, breast and face, with the disease has reached its height, when later it becomes faint yellowish, and the outer or scurf skin flakes off in patches, or in minute fine like scales. Such is the course of mild Scarlet Fever or Scarlatina. But it may become complicated from an irregular development, ulcerated throat, or other symptoms.

Treatment.—To prevent the disease, while Scarlet Fever is prevalent, give a good child five pellets of the *Specific No. One* morning and night. This prevents the disease, or in any event renders the course of the disease much milder. If the disease has commenced with vomiting, sore throat or fever, dissolve twelve pellets of the *Specific No. One* in a tumbler full full of water, and of this fluid, prepared grow to the number every day, give one teaspoonful every hour during the height of the disease, extending the quantity to two teaspoons the disease abates. If the eruption remains obstructed after some

days, and the sore throat or canker unyielding, alternate the *Specific No. Fourteen*, prepared in the same manner, with the *No. One*, one dose every two hours. This remedy is also efficacious at the close of the disease, to relieve the itching and assist desquamation, and thus prevent bad after-diseases. Sponging the child with tepid water is very grateful and useful through the entire course of the disease.

If *swelling of the glands* under the ears or about the neck occurs, give four pellets of the *Specific No. Twenty-Two* each morning and night, and the *No. One* during the day, as above.

If *dropsical swelling* of the limbs or body occurs toward the close or after the disease has subsided, give the *Specific No. Twenty-Five*, four pellets four times per day until cured. Thousands of cases are thus safely carried through the disease every year by this treatment.

⚠ *Remember* that *Scarlet Fever*, *Measles*, *Varicoid*, *Diphtheria* and *Whooping Cough* are contagious, and unprotected persons coming into their presence are liable to take the disease. So if a child has the Scarlet Fever or other of these diseases, keep other children out of the sick room or house, or as far from the room as possible. To permit well children to inhale the breath, fondle or play, or even be in school with them, until *entirely recovered*, is most sure to communicate the disease. In such cases remove the well ones or fit up a separate room for the sick, and excluding the others maintain a rigid

quarantine until the entire recovery. A child may communicate the disease to another so long as there is any *disquamation* or *pustule* or *scurf* from the skin, sometimes two or three weeks after the child is out.

Measles prevail usually toward spring, and is generally a mild, easily managed disease. It commences with symptoms of a cold, sneezing, flow of tears, and slight redness of the eyes, and soon a *hoarse, hoarse* cough, which is characteristic of the disease. The rash appears first on the face in minute pimples in clusters, with a reddish tinge, deepening and increasing as it comes out, first day upon the face and neck, next upon the body, and third day extending to the lower extremities, by which time it grows fainter upon the face, and disappears in the same manner. There is fever, loose stools, *hoarseness*, etc.

TREATMENT.—Give the *Specific No. One*, prepared as directed for *Scarlet Fever* (page 14) every two hours, and continue this treatment through the entire course of the disease. If the measles do not come out well, do not be alarmed about that; keep the patient warm, give some warm tea or nourishing soup, or hot foot-bath. If the cough is troublesome, alternate the *Specific No. Seven* with the *No. One*. If very hoarse, give a few doses of the *No. Thirteen*. If the eyes are red, inflamed, intolerant of light, the *No. Eighteen* will act like a charm, and for any weakness of sight remaining, in consequence of measles the same Specific may be relied upon.

two pellets three times per day. Care should be taken during the measles to prevent taking cold, as serious disease of the lungs may arise as a consequence. You will have no difficulty in safely treating the disease by following these directions.

Chicken-Pox rarely requires more than a few doses of the *Specific No. One*; if new crops of pox come out, *No. Fourteen* is the Specific.

Mumps are known as the somewhat hard and sensitive swelling of the gland in front of and below the ear, on one or both sides. It is attended with fever, and *pain when chewing*, especially any firm or hard food. It passes off in three or four days, and is rarely dangerous, but may sometimes fall upon the brain, producing delirium, or if the patient is chilled, may fall upon other parts, producing swelling and other mischief.

TREATMENT. -- Give the *Specific No. One*, twelve pellets in six spoonfuls of water, one spoonful every two hours, and, two or three times per day, six pellets of *Specific No. Twenty-Two*. Should any swelling of the glands remain, the use of the *No. Twenty-Two* will remove it. Should the disease fall upon the urinary organs, the *No. Thirty* will soon relieve.

Congestion of the Head begins in children with violent fever, red and hot face, swelling and throbbing of the blood-vessels of the neck, sleeplessness and delirium, or deep, drowsy sleep, inclination to lie down, with pain in the head, increase of the pain and distress, and even vomiting, on being held up, great intolerance of

light and noise. These symptoms find their remedy in the *Specific No. One*, twelve pellets of which should be dissolved in six teaspoonfuls of water, of which give a spoonful every hour at first, and then every two hours as the case improves. Meantime, apply cloths wet in tepid water to the head, and renew them as often as they get hot.

Disorders of the Head occur in children and adults also, in a slighter or less violent form; with a sense of fullness and heaviness of the head and redness of face, vertigo or giddiness, especially on turning or looking upward, throbbing headache, and sometimes intolerance of light, drowsy and stupid feelings, desire to sleep by day and sleeplessness at night. In mild cases, six pellets of the *Specific No. One* three or four times per day, will afford relief, but if the case is more violent, dissolve twelve pellets in half a glass of water, and of this take a spoonful every two hours until relieved, and then morning and night, or if the affection is of some standing, *Specific No. Nine* may be taken alternately with the *No. One*.

Old Cases of Head-Pain and Vertigo of the Head are usually cured by taking the *No. Ten* at night and *No. Nine* in the morning.

Sore Throat TONSILLITIS or QUINSEY begins with redness, heat, swelling of the throat, tenderness and soft parts difficult swallowing, and it sometimes terminates in suppuration. Dissolve

twelve pellets of the *Specific No. One* in water (half a glass), and take a spoonful of this solution every hour. If not soon relieved, take the *Specific No. Thirty-Four*, prepared in the same manner, alternately with the *No. One*. Apply cloths kept moist with the *Mixed of Healing* to the throat, and keep indoors, on low diet, until relieved.

Diphtheria and ULCERATED OR MALIGNANT SORE THROAT. It is convenient to treat these diseases together, as the amateur may not be able to distinguish the one from the other, and the treatment is the same. The disease may be mild, but is often formidable.

Diphtheria usually commences in children, with dullness, inclination to sleep, *swelling and soreness of the throat*, indicated by difficulty in swallowing, and frequently vomiting. Fever, heat, and redness of the face, increased difficulty of swallowing soon come on, and on examination, the appearance of *patches of dirty wash-leather-like membrane* in the throat, or ulcerations in advanced cases, with difficulty of breathing and prostration.

TREATMENT.—*To prevent the disease*, give children two pellets of *Specific No. One* each morning, and the same of *No. Thirty-Four* at night, and so alternate while the disease is prevailing and carefully avoid exposure to severe chills or over-fatigue.

For an attack of diphtheria or of severe or ulcerated sore throat, give alternately the *Specific No.*

One and the *No. Thirty-Four* in water, thus dissolve twelve pills of the *No. One* in a measure half full of water and the same amount of *No. Thirty-Four* in another glass, with a like quantity of water stirring each well with some glass. There is also to be administered, and to children a teaspoonful of the most first of one, One of the other, at intervals of half hour at first, and once an hour, or even, if mild cases, two hours, and this treatment until cured. The diet should be easily digested and containing least water, farinaceous or other good food, sweet milk and good tea, during the disease, and apply cloths wet in the Mucil to the Throat.

The early stage of every acute disease attended with thirst, as *Hot fever, quick pulse, heat, rather hoarse, hoarse and pain*, will be always alleviated, and often entirely relieved, by the use of the *Specific No. One*, given every hour. In all cases when there is pain or distress, and you are uncertain what remedy to apply, or have failed to cure, resort to the *No. One*, and sometimes its use for some time, or return again to some more positively indicated remedy.

Worms. — Worms often cause much annoyance in children, and it is important to know the symptoms by which their presence is manifested, as well as the cure. Children most subject to worms have light, fair skin, soft, flabby flesh, and enlarged abdomens, while the head and arms are comparatively small. Such children are subject to catarrhs, morbid diarrheas and mucus

vomiting. When this condition exists, worms will be found in the system, and a predisposition to produce them. Unless this condition is corrected, the driving off of a few, either by ordinary cathartics or vermifuges, is of no great consequence.

The more common symptoms of worms are: frequent itching of the nose, which the child picks with its finger; itching of the anus; voracious or greedy appetite; desire for dainties, and often the breath is offensive, especially when the stomach is empty; bowels irregular, either constipation or diarrhea, in which are masses of glairy frog spawn-like mucus.

Symptoms arising from the local irritation of worms are: Colic pains in the bowels, which are worse when the stomach is empty, and often pass off after a meal. Sometimes the local irritation affects the nervous system, and there is dilation of the pupil of the eyes, distortion or rolling of the eyes, springing up, grating of the teeth, and talking in sleep, vertigo and sometimes spasms.

Fever is one of the most frequent results of worms; it is usually quite violent, pulse quick, heat great, noticeable for its *unsteady character*; now more, and now less, coming and going; and there is danger of convulsions during such a fever, especially if there should be sudden startings or twitchings. If the worm predisposition is not cured, the child may become emaciated, weakly and fail to thrive.

TREATMENT. It is not difficult to get rid of a few worms by the action of any bitter cathartic; but this is of small consequence for you will leave many more behind, and the vernicle will weaken the digestion, and thus tend to induce their production anew. Hence children who take much medicine are subject to worms. To eradicate Worms from the system, give the solid plain diet, meat once a day, little or no pastry, cake, preserves, or cordials, but substantial nourishing food, and give it three pellets of *Specific No. Two*, morning and night, or even four times per day. The result will be that the worms will disappear.

When worms produce *constipation*, milk, quick pulse, and hot skin, etc., dissolve twelve pellets of *Specific No. One* in a glass one third filled with water, and give the child a teasett spoonful every hour for four or six hours, and then prepare the *No. Two* in the same manner, in water, and give the *No. Two* alternately with the *No. One* until entirely relieved. Then give the *No. Two* morning and night, or four times per day, to effect a pulled cure. No other medicines are required in order to permanently cure this affection, as the experience of hundreds can testify; only do not expect miracles, exercise a little patience, for a constitution and cure requires time.

Crying of infants.—Infants do not cry if they are well and properly cared for. When a child constantly cries without apparent cause, it affords a strong presumption that it is not well.

Nurses, to quiet the crying of infants, give them anodynes, cordials, or soothing syrups, which render them costive; then a cathartic or a dose of oil is given to physic them, which, in turn, deranges the stomach, and in a little time we have a permanent condition of illness fastened upon the child, which may continue for life. This is irrational and wrong. The nurse should never suffer the infant to cry or worry, by always attending to or anticipating its wants, changing and feeding it promptly, and also avoid giving it drugs or doses.

Colic.—If the child has Colic, which may be known by its cries and drawing its legs up to its abdomen, while the belly is hard and distended, give two pellets of the *Specific No. Three*, and soothe it by carrying it about, or other means. If no better in half an hour, give two more pellets, and so on, repeating every half hour until relieved.

Wakefulness.—If the child *does not sleep at night*, after having had proper intervals of being awake during the day, give it two pellets of *Specific No. Three* before laying it down. This will usually be sufficient; but if necessary the pellets may be repeated every hour. The nurse should bear in mind that if *she* takes strong tea or coffee, or spirits, or such flatulent food as pickles, cabbage, beans, etc., she can scarcely expect her child to sleep well, as the effect of the stimulus, or food, may act more decidedly on the child than upon her.

Teething of healthy children is often accompanied without seriously affecting the system; but frequently there is diarrhoea, feverishness, and restlessness at night, and sometimes serious congestion to the liver. The first teeth are cut at from the fourth to the eighth month, or later, and usually with but little trouble: first, the two lower, cutting teeth; then the two upper, middle teeth in about two or three weeks after the first; and then two more lower, followed by two upper incisors, one on each side. Some eight weeks after these, there will be four first jaw-teeth: two below and two above; and after these the stomach and eye-teeth are cut; and finally, when about two and a half years old, the back jaw-teeth, two below and two above, erupt, which completes the set. Variations from this order are, however, frequent.

When the teeth are about to protrude, the child drools, and puts its fingers in the mouth. Is more or less feverish, and the gums grow broader, and swell in the top. Lancing the gums is quite unnecessary, and if done prematurely, only obstructs the tooth by forming a scab, which the tooth must pierce when it comes forward again; besides, it is not so much the swelling of the gum which causes the feverishness, as a febrile excitement of the system, which accompanies any important evolution of the organism.

During the Period of Teething, whenever there is any feverish excitement, restlessness, wakefulness, or worrying, give two pellets of *Specific*

No. Three, four times per day. This quiets the system, relieves the irritation and restlessness, and any slight diarrhea. If, however, there should be *very high fever* and a good deal of heat, it is better to give two pellets of **Specific No. One for Fever**, in fluid form, a teaspoonful every two hours, and the **No. Three** morning and night. If diarrhea also becomes threatening, the movements of the bowels frequent and somewhat prostrating, give two pellets of the **Specific No. Four** every three hours until this trouble be relieved.

For **Slow Growth, Feebleness, Difficult Learning to Walk and General Debility** of infants or small children, give the **Specific No. Three**, two pellets three or four times per day, which often works wonders in increasing the muscular strength and natural growth of bone.

For **Fretfulness, Feverishness and Worrying** of children three or four years old, which often arises from deficient growth of bone, give four times per day three pellets of the **Specific No. Three**. The result will soon be shown in improved vigor, health and happiness.

For **Sprue or Sore Mouth** of young infants, which is frequently troublesome, and sometimes dangerous, the **Specific No. Three** will usually be found effectual. Given at times for other complaints, sore mouth will rarely occur; but if it is present, one pellet four times per day will suffice to cure. Obstinate cases may require **Specific No. Twenty-Nine**, four times per day.

Diarrhea or Loose Bowels.—In small children this disease is often formidable, and demands attention. In young and teething children it frequently assumes the form of Cholera Infantum, and is liable to be fatal.

For Diarrhea or Loose Bowels in Young Children give two pellets of *Specific No. Four*, three four or more times per day, according to circumstances. Let the child have for diet only breast milk, boiled rice, farina, or milk porridge, avoiding all fruits, vegetables, and especially new potatoes. Any slight derangement of the stomach, pain, gripings or diarrhea arising from errors in diet, etc., will be promptly remedied by taking *Specific No. Four*, four times per day. Diarrhea from the use of fruit, also, will be promptly met by taking the *No. Four* as above.

Cholera Infantum.—Few diseases are more destructive and fatal in children than this. In some parts of the country, in the larger towns and cities, numbers of children are every summer carried off by it. Diarrhea in young children in summer is liable to terminate in a cholera infantum, and cholera infantum has diarrhea as a symptom. It prevails principally among children of from six months to three years of age.

It often commences as a slight looseness of the bowels, which goes on increasing from day to day, until the child becomes emaciated, its stomach becomes exceedingly irritable, so that it vomits up every kind of food and drink, and at length it sinks into a drowsy, stupid slumber.

which, after some days, closes the scene; or, the disease may come on more suddenly, with very frequent, loose, offensive stools, sudden vomiting of everything taken into the stomach, rapid emaciation, soon followed by coldness, collapse, stupid slumber, and extreme prostration.

In the first case the disease may run from three to twelve weeks, until the child is reduced to a skeleton; and in the latter, the fatal termination may occur in three to six days.

In the treatment of this disease the diet is of the first importance, as it is almost impossible for a child to recover unless it has a proper diet. Children who nurse do better than those who have been weaned or brought up by hand; for though the child may get but little from the breast, that little is appropriate for it, and quality in this case is of more importance than quantity.

If the stomach is very irritable, *vomiting up everything taken*, food must only be given once in two or three hours, and only two or three spoonfuls of farina gruel, rice-water, or some similar light or nourishing substance; or, if the child yet nurses, the breast is still better; yet the child must not be nursed too often, nor suffered to take too much at a time. Also, every hour, give a spoonful of a solution made by dissolving six pellets of *Specific No. Six* in six teaspoonfuls of water. This continue a few hours; and then prepare six pellets of the *No. Four*, in fluid, in the same manner, and give every hour a spoonful alternately of these two medicines. As

the disease improves, the doses may be given less frequently, but be sure continue both as to the quantity and quality of food or drink allowed.

Infantile Bronchitis or Catarrh of the Chest or Larynx is a very common ailment, is attended with fever, greatly pale, cold and difficult breathing with rattling in the chest, of the expectoration, and frequent nocturnal coughs. Give the *Specific No. One*, at half-teaspoonful for twelve hours, then prepare the *No. Seven*, in fluid and give the two in alternation every two hours until relieved.

Wetting the Bed. Children subject to wetting the bed should avoid taking fatty, fatty, or watery vegetables at the late evening, or even entirely abstain from them at such hours, and should take three pellets of *Specific No. Thirty* aight and morning. In some cases it arises from the irritation of worms; in others, from an irritable condition of the bladder itself, and in some cases from improper habits. But it is almost invariably the result of a morbid condition or irritation of the bladder, or relaxation of its sphincter, and is quite beyond the control of the child, and is a proper subject of medical treatment. The *Specific No. Twenty-Two* may be given in obstinate cases alternately with *No. Thirty*, giving *No. Twenty-Two* each morning, and *No. Thirty* noon and night. In obstinate or constitutional cases which resist the use of *No. Thirty* should take *Dr. Thompson's Special Prescription No. Thirty*, which always cures.

Croup.—Croup in children is usually a sudden and sometimes fatal disorder, and it is important to know its symptoms, and to have a reliable remedy at hand with which to meet it. It often comes suddenly at night, after the child has been exposed, or out playing in a damp, rough wind during the day. The child wakes out of a sleep with a sudden, *hoarse, barking cough*, often like the barking of a hoarse dog, and sometimes, even at first, some degree of oppressive or difficult breathing. In some cases there are frequent returns of this hoarse cough, with little or no fever, or difficulty of breathing for some hours, or even a day or so; and at others there is a high fever, quick pulse and red face from the first hour of the attack. As the fever increases, the cough returns in more frequent paroxysms, and the difficulty of breathing increases: often by turns becomes wheezing, rattling, and in the worst cases, as if breathing through fine brazen pipes; and becomes, by degrees, loud, harsh, and is heard all over the room.

If the child improves, the breathing becomes easier, softer, the rattling of mucus looser; if worse, finer and tighter. Toward the last, the head is thrown back to facilitate respiration, the larynx rises and falls with every breath, and the child is bathed in sweat by the suffering and effort.

These sudden cases, however, usually soon yield to proper remedies. But the worst cases are those which come insidiously, the child

being suddenly ill for two or three days, *at 6 or 8 months, as it were, coughed much, but very hoarse, or withering much, or with loss of voice, the difficulty breathing only coming on gradually.* Such cases are highly dangerous.

TREATMENT.—For an attack with hoarse, crampy cough, either suddenly at night or at other times, administer at once twelve pellets of *Specific No. Thirteen* in six dessert-spoonfuls of pure water, at which give a spoonful every half hour at first, and until the child improves, keeping the child in bed in a warm room, and protected from draughts of air for a day or two, to prevent a relapse.

But if with the crampy cough there is also *high fever, hot skin, and some difficulty of breathing,* prescribe the *Specific No. One* in the same manner as the *No. Thirteen*, and give a dessert-spoonful every half hour, alternately with the *No. Thirteen*, until the child is in a perspiration, and the fever is relaxed, then the *No. Thirteen* may be continued alone at intervals of an hour or more, as the child improves.

When a hoarse or a *sighing cough* at night threatens an attack of *Croup*, three pellets of *Specific No. Thirteen*, occasionally repeated, will usually ward off the danger.

In the worst cases, with hoarse cough, difficult, anxious, stridulous breathing, give the *Specifics No. Thirteen* and *No. One*, prepared as above, a spoonful every half hour alternately. Give no other medicines—make no external applications.

for these will do no good, and often impede the cure--only when the fever is high and difficulty of breathing great, bathe the child's feet and legs to the knees in *quite warm water*, and even its hands, for ten or fifteen minutes at a time, then wiping them dry and covering them warm to perspire. For some days after an attack, do not let the child go out, or be exposed to a draught of cold air, and during the attack give it no fruit.

To prevent a return of croup, and to destroy the predisposition which some children have to it, give three pellets of *Specific No. Thirteen* morning and night, and after any special exposure.

Whooping-Cough.—Whooping-cough usually commences as a common cold, though from the first the cough is rather more violent and spasmodic than in ordinary colds, and not until after ten or fourteen days does it assume the true distinctive form of whooping-cough, with *severe shocks of cough in rapid succession, followed by a deep inhalation or whoop*. This disease, if uncured will continue from six to twelve, or even fourteen weeks.

DIRECTIONS: TO PREVENT WHOOPING-COUGH—When children have been exposed, or begin to cough, give simply three pellets of *Specific No. Twenty*, four times per day. You thus either prevent it entirely, or destroy its force and violence.

FOR THE CURE.—Give three pellets of *Specific No. Twenty* every four hours during the day

This is sufficient in ordinary cases, but if very severe, administer three pellets every two hours, day and night, if awake, placing the pellets in the child's mouth, and at longer intervals as the child improves. Should there be fever, or threatened inflammation of the air-passages, give the *Specific No. One* in alternation with the *No. Twenty*, prepared in water, twelve pellets of each in six spoonfuls of water, separately, of which give a spoonful every hour, first of *No. One*, next of *No. Twenty*, and so on. Give the child no meat, cake, rich or heavy food, but an abundance of nourishing drinks—rice-water, barley-water, gum-water or Irish moss tea. The disease will thus be broken up or run a short mild and safe course, as thousands of cases treated with *Specific No. Twenty* amply testify.

Spasms. Spasms or convulsions may occur in children from some transient irritation, such as teething, indigestible substances in the stomach, or congestion to the head, or from fever or extreme nervous excitement. There is a sudden strutting of the body, cramping of the limbs, holding the head back or on one side, drawing in of the thumbs, distortion of the eyes, arrest of breath and loss of consciousness, etc., after which the muscles become relaxed, and the patient sinks into a sound sleep, from which he awakes restored. But in cases of children, or when the irritating cause has not been removed, the spasm may return again, or even several

times. Some families of children are subject to fits from slight occasion.

TREATMENT.—During the attack of convulsions it is better to wait; but if the patient does not come out readily, put the feet in warm water, and apply cold, wet cloths or cold water to the head. If the spasm has been induced by indigestible food, oranges, candies or sweet-meats, especially in children, give a large injection of warm water, repeated until free evacuations of the bowels take place. Give, also, the *Specific No. Thirty-Three*, six pellets every hour until all excitement of the system passes off; then six pellets morning and night.

Epilepsy. While Epilepsy is more common in adults, yet it is first shown in childhood, and hence may be treated here. *Spasms, Convulsions, St. Vitus' Dance* and even *Hysteria* all have their first manifestation in the years of growth, and are best cured during that period. In true *Epilepsy* there is loss of consciousness during the fits, and they recur at intervals, leaving the system comparatively free during the interval, and in general the convulsions are more severe, with biting the tongue, frothing at the mouth, etc.

TO CURE EPILEPSY.—For an attack of convulsions, treat as for spasms. During the interval between the attacks, give six pellets morning and night of the *Specific No. Thirty-Three*, and avoid all exciting causes of the attack. In old chronic cases of *Epilepsy* or *Fits*, give six pellets of the *No. Thirty-Three* each night, and the

form of the *No. Thirty-Five* each morning, or better still for the *Special Prescription No. Thirty-Three*, for *Epilepsy, Spasms, St. Vitus Dance, Convulsions, Falling Sickness, Involuntary Motions, Jerkings, Twitchings of Single Muscles or Limbs, or Unconscious Movements*, which has proven very effective.

Chorea or St. Vitus' Dance is manifested by aimlessness, twitching and jerking of the limbs, or drawing of the muscles of the face, trembling, inability to hold things, or to feed one's self, or even to swallow food without difficulty, or sometimes even to talk.

For this Chorea give six pellets of *Specific No. Thirty-Three*, four times per day. In severe or protracted cases, give six pellets of the *No. Thirty-Five* before breakfast and before supper, and the same of the *No. Thirty-Three* before dinner and at night, or use the *Special Prescription No. Thirty-Three*, before mentioned.

Hysteria is a form of convulsions resembling Epilepsy. But there is not loss of consciousness, biting of the tongue or turning in of the thumbs, and it occurs mostly in sensitive or nervous persons. Give *Specific No. Thirty-Three* every three hours, and the storm will soon be over, then morning and night to prevent a return.

Children who have *twitching of the face or limbs*, or very restless sleep, or slight convulsions, may take the *Specific No. Thirty-Five* night and morning, with prompt relief.

FEVERS.

Fevers begin usually with a precursory stage, lasting some days, consisting of depression, pain in the back or limbs, headache, coated tongue, loss of appetite, or general lassitude. After this there is either a cold chill or chilliness for a day or two, which is followed by high fever, with headache, sleeplessness, sometimes delirium, full, quick, hard pulse, quick respiration, vertigo on rising or sitting up, sometimes vomiting, costive bowels, etc.

This stage continues some days, depending upon the character of the fever and treatment, after which the pulse by degrees abates, the skin gradually becomes moist, the tongue cleans off, appetite and strength improve, and the patient becomes convalescent.

It is not always prudent for *non-professional persons* to assume the management of grave cases of *Fever*, even with the aid of these invaluable *Specifics*. The responsibility is too great. There may be conditions and dangers which the amateur cannot understand, especially in the graver and more persistent forms of fever. So, while it is eminently proper and wise to know what to give and how to treat the milder forms of *Fever* and the *beginnings* and *earlier forms* of all *Fevers*, yet the management of the graver forms should be assumed only when competent medical aid cannot be obtained. The early treatment, as here directed, often arrests and entirely cures the milder forms, and always

moderates the frequency and character and violence of the more serious ones.

General Treatment. In the treatment of all forms of fever, it is of importance to keep the room well aired and lighted, scrupulously clean, with frequent change of linen and bedding, plenty of pure cool water to drink; the limbs warm and feet should be frequently sponged off with tepid or cool water. Give fresh water, good or not, better for drink, or cold water with any fresh fruit or dried fruits, except when there is vomiting. After the fever is morose, gradually resort to a more substantial diet, beginning with soups, baked apples, rice, and tea, then gradually adding.

Fevers of Food are not always clearly defined. But the non-professional reader may find the following treatment for his action.

Inflammatory Fevers are characterized by a strong, warm, burning hot skin, red face, severe headache, hurried circulation, thirst, restless tossing and sleeplessness. The symptoms are worse in the evening and are better after midnight and toward morning.

Treatment.—By this form of fever, only the *Specific No. One* is required. Immerse twelve pills in a smoking glass half full of water, and of this give a tablespoonful to an adult, or a tablespoonful to a child, every hour for the first day or two, or until the force of the disease is broken, then at longer intervals until cured. It generally yields after a day or two.

Bilious or Gastric Fevers. The precursory stage is marked by decided bilious derangement, with bad taste, coated tongue, headache or back-ache, and costive bowels. This after a day or two is succeeded by a strong chill, followed by *sharp, purgent heat*, violent headache in the forehead, bad taste in the mouth, heavy coated tongue, bitter, bilious vomiting, highly colored, scanty urine, constipation, sleeplessness, and generally delirium, hurried respiration, and *strong*, quick pulse, and often tenderness of the bowels.

It may continue seven or fifteen days, and is sometimes marked with decided remissions of some hours, when the fever returns again as before, or it may terminate in Fever and Ague.

TREATMENT. In this disease the *Specifics No. One* and *No. Ten* are required. Dissolve twelve pellets of the *No. One* in six spoonfuls of water in one glass, stirring carefully with its separate spoon until dissolved, and as many of *No. Ten* in another, prepared in the same manner, and give every hour a large spoonful *alternately* of the two glasses, first from *No. One* and next hour from *No. Ten*, and so on until the disease is subdued. After twelve or twenty-four hours, one dose every two hours will be sufficient. Improvement will occur in a day, and the disease will be carried to a favorable termination. Even should several days of treatment be required for a permanent cure with the *Specifics*, it will still be much better than merely to *suppress the chill*

with quinine or other violent medicine, only to have the illness reappear after a few days.

In the preceding stage, a bottle of *Specific No. Ten*, used in two or three ounces for a day or two, will restore the system and arrest the outbreak of fever.

Malaria.—Malaria was formerly considered as a miasm, resulting from miasmatic vapours, raised in low-lying marshes and swamps of stagnant, and along the margin of rivers, or where rice land and wet bogs abutted some way up, and exposure to the action of the sun. But now we remember how slowly that miasmatic disease is now known to reach its height, and that as a fact but very few and narrow portions of country are entirely free from Malaria. Cities, villages, towns and country all have it in greater or smaller degree. It was also formerly supposed that the only result of Malaria was *Intermittent*, or some of its presumed or possible. But it is now known not only to produce this disease, but to produce a wide number of miscellaneous and troublesome symptoms, which fall quite short of Typhoid and Ague or Malarial Fever, and so a large number of people suffer from Malaria when attributing their trouble to something quite different.

Its most frequent mild form is known by a slightly coated tongue, bad taste, diminished appetite, constipated or irregular bowels, head-ache or some form of nervous, vague pains in

the back, joints or limbs, feeling of dullness, indifference, distaste for work or effort, sleepiness or drowsiness by day, and unrefreshing sleep at night, want of energy; sometimes with pale, earthy or yellow face and skin, and general feeling of illness.

This first phase of Malaria, unless cured, will develop an *Intermitting Fever*, or a *Remitting Fever*, out of which will form a *Fever and Ague*.

TREATMENT. -To cure Malaria and arrest its further development, take simply, in alternation, the *Specifics No. Ten* and *No. Sixteen*, a dose of six pellets every three or four hours, with light, easily digested food, and avoid exposure to the hot sun by day, or damp night air, or over-fatigue. This course will in a few days rid the system of Malaria and arrest the development of Fever and Ague or Bilious Fever.

Thousands of families living in *malarious regions* are fully protected and have an entire immunity from Malaria in all its forms, by simply taking *Specifics No. Ten* and *No. Sixteen*, as above.

Fever and Ague, Intermittent Fever.—TREATMENT.—FOR CHILLS *which return every day*, take, one hour before the chill is to come on, six pellets of *Specific No. Sixteen*. Then, during the *chill* and *heat*, take every fifteen minutes a spoonful of the *No. One*, prepared as on page 10. Then, after the *chill* and *heat* and *sweat* have subsided, go on with the *No. Sixteen*, of which take six pellets once in four hours until the next chill comes on, and then proceed as before.

For Chills add *to take every other day*—Give, in the same manner, a dose of *Specific No. Sixteen* before each chill; also the *No. One* during the chill and just after sweat, and then the *No. Sixteen* again, during the interval, a dose of six pellets every four hours until the next chill, and so on until the disease is cured.

The Chills of *Ague*, or of *remittent*, *continued*, *intermittent* types that do not yield to the *Specific No. Sixteen*, give the *No. Ten* in alternation with the *No. Sixteen*, a dose of six pellets every four hours. *Intermittent*, *continued* and *bilious* *Fevers* require the same treatment, and will be permanently cured by this simple course. The doses above mentioned are proper for adults. Children only require one-half, and infants one-third as much.

2d—*Amor*, *stomach* or rich, heavy food, or exertion while you have the disease, or during recuperation, will greatly need, protracted or over-fatigue often produces a relapse. The Abuser is frequently better the first chill after taking the medicine, and will be permanently cured by perseverance in its use. This method has thousands of times proved that the use of quinine, arsenic, or the ordinary quack medicines so often resorted to.

For the remittent of *Fevers* and *Ague*, and the bad effects of the *Quinine*, *Arsenic*, *Chinapine* and other deleterious drugs so often used to suppress the disease, usually accompanied by vertigo, ringing in the ears, deafness, enlarged

spleen or ague-cake, swelling of the limbs, general feebleness and debility, coated tongue and liver complaint. For these symptoms, ail of which may in greater or less degree follow the use of Old School drugs or nostrums, the *Specifics No. Sixteen* and *No. Ten*, six pellets four or six times per day, in alternation, are required. In these bad complications the cure may require time, but will be perfect and permanent. Thousands of the most obstinate cases are thus simply and happily cured every year.

Enteric, Typhoid and Typhus Fevers. — We do not distinguish these forms of fever as the differences to the non-professional mind are often not clear, and the treatment is the same.

These fevers are marked by great weakness and prostration of the system, fever usually not so high, but early delirium, dry or dark coated tongue, sleeplessness, or deep, profound sleep, pain in the head and back. They continue from fourteen to twenty-one days, or even longer, run a slow course, and are frequently of dangerous character, and should rarely be treated without competent medical aid.

Treatment. — Is often successful by giving the *Specific No. One*, dissolved in water, as directed for other forms of fever, alternately with the *Specific No. Fourteen*; experience having shown that this latter Specific is very efficient, not only for Intestine Diseases, but for low fevers of every grade. Give these two medicines alternately in fluid, a dose every two hours,

preparation as directed for *Typhoid Fever* (pag. 52), so long as the disease continues.

When Typhoid or low forms of fever are prevailing, the *Specific No. One*, six pellets taken morning and night, or even four times per day, will serve to fortify the system and prevent an attack, as experience amply demonstrates.

Yellow Fever. An attack of Yellow fever is usually abrupt. It, some cases there may be premonitions—a slight depression, loss of appetite, languor, pain in the head and other sensations for a day or two. This is followed by a chill, or rigors, generally moderate, soon followed by intense fever, rapid pulse, high temperature, headache, burning pain in the limbs, and sometimes vomiting; retention of urine and constipation are also present. The eyes are red, blood, drawn and watery. Mind usually clear, but sometimes delirium.

Treatment.—In *Prevention* while the disease is prevailing, take six pellets of *Specific No. One*, morning and afternoon, and six pellets of *No. Ten* at noon and at bedtime. This should protect the system, or render null any attack which may occur.

If the disease comes on, the patient should at once retire to his room and dissolve twenty pellets of *Specific No. One* in a glass half full of water, of which a large spoonful should be given every hour. This continue without interruption, except the patient sleeps, through the entire first, or stage of fever.

ACCESSORY MEANS.—The importance of cleanliness is apparent. Discharges and all soiled linen must be quickly removed, and the air kept as fresh as possible. During the early stage give a hot foot bath, and during the heat frequent spongings of the entire body and limbs with tepid vinegar and water. The diet during the first stage should be simply toast bread or crackers soaked in weak black tea. In the second stage, rice, milk, and arrowroot may be added to the diet; and in the third, or stage of prostration, ice-cream, champagne, beef-tea, or wine-whisky may be necessary. The patient should remain in bed, comfortably but not oppressively covered, during the entire course of the disease.

§ 2. I do not recommend, in general, the treatment of such formidable diseases as Typhus, Cholera, or Yellow Fever, by unprofessional persons. But there are times and epidemics when competent medical attendance cannot be obtained, and where these simple directions may prove of inestimable value in treating and arresting disease and saving life.

✓ **Cholera and Cholera Morbus.**—These are quite different diseases, yet the medicines which cure Cholera will very promptly also cure Cholera Morbus. In Cholera Morbus the discharges consist of what has been taken as food, and is ejected again more or less changed; while in Cholera, the discharges, after the first two or three, consist only of a fluid *like rice water*, which is, in fact, the serum of the blood. The coldness,

fatness, cramps, etc., are less much more violent in Cholera than in Cholera Mortis, and it is sometimes rapidly fatal.

Cholera Mortis is promptly cured by giving the patient one pill of *Specific No. 8* every half hour at first, and later each hour until cured.

Cholera.—**PREVENTION.**—**DIET.**—*During the prevalence of Cholera*, care should be taken that no heated vegetables or animal substances be permitted about the house or yard. Keep the company very restrained and very quiet. The yard and kitchen free from grass. The children of the house about the prep and sink. Put a simple hot rubefacient diet for food, both by putting it hot and hot from the kitchen potatoes, crackers and stale bread. Eat no onions, raw, sliced, fried, boiled or pickled, and especially a cold fruit and green vegetables, particularly salads containing peaches, cauliflowers, green peas, beans, radishes, eggplants, green corn, etc. For drink, use pure water, avoid everything in a medicinal or medicinal. Avoid all every kind of mental as well as physical, should be absolutely avoided. Avoid making any sudden changes. The usual habits should be maintained. Let neither meals nor go to bed early. Avoid irritabilities—anger, etc., into sorrows, blue devils. Take exercise, but avoid fatigue. Take food before going out in the morning, and maintain a steady, even flow of food. Let your clothing be adapted to the temperature of the weather, employing rather more, both at night and by day, than

usual, and it is well to use flannel, especially about the abdomen, with a view of guarding against sudden changes. Do not neglect slight indisposition, especially of the stomach and bowels, but attend to them at once, as they are often the precursors of the disease itself.

During the Prevalence of the Disease, six pellets of *Specific No. Six* should be taken every night and morning by each member of the family, as a preventive. If this is followed up, no attack of the cholera will ensue, unless from some grave error in diet or regimen, and even then the attack will be much lighter and easier controlled than usual. Persons traveling or much exposed, should also take six pellets of *Specific No. Six* night and morning.

FOR CHOLERA-DIARRHEA—a peculiar diarrhea, which almost invariably precedes the cholera, consisting of frequent loose stools, and attended with rumbling of the abdomen, a sense of weakness or faintness in the stomach, and sometimes nausea or qualmishness. DIRECTIONS.—At once retire to the room, keep perfectly quiet, and take six pellets of the *Specific No. Six* every hour until the diarrhea entirely subsides. Then for some days be particularly careful in diet, exposure and fatigue.

When Cholera comes on with sudden coldness, prostration of strength, vertigo, giddiness, cramps in the calves of the legs, deathly nausea, and blueness of the surface, though with not much vomiting or diarrhea, Tinct. of Camphor

is the remedy. If this give *three drops* in a spoonful of cold water every five minutes, until the colic, diarrhoea and cramps pass off, then it may be omitted, and six pellets of *Specific No. Six*, dissolved in a tablespoonful of lemon, or cold well water, given every fifteen minutes until relieved. When the vomiting has ceased, the dose may be given every hour, and less frequently as the patient improves.

If the attack *commences*, or assumes the form of *violent vomiting and diarrhoea*, with frequently returning spasms in the calves of the legs and bowels, diarrhoea of the usual cholera character, give six pellets of *Specific No. Six* in a spoonful of cold water every ten or fifteen minutes until the symptoms somewhat abate, and then at longer intervals, until the disease is controlled.

Persons who have had an attack of cholera, or even of cholera morbus, should, for a time, be particularly cautious in reference to undue exposure, fatigue, and especially to any transgression in diet. A slight error in this respect may prove a return of the disease, which often proves more hazardous than the original attack.

§ 3^d During an epidemic of Cholera, send for a Special Cholera case of Specifics, with full directions, price, \$1.50 to \$2.00.

Diarrhea. This condition in adults or older children requires six pellets of *Specific No. Four*, four times per day. In some cases the alternation of the *Specific No. Six* or the *No.*

Five with the *No. Four* is of benefit. And in any instance where the disease does not promptly yield to the *No. Four* alone, the *No. Six*, if the stools are loose, profuse or watery, or *No. Five*, if there is pain or griping, should be given alternately with the *No. Four*. As the disease improves, the doses may be given less frequently, with caution as to the quantity and quality of food. (See next page.)

CHRONIC DIARRHEA—several stools per day without much pain, gradual loss of strength—requires three doses of *Specific No. Four* per day. If there is discharge of blood or bloody mucus, or of pus-like matter, the *Specific No. Five* should be alternated with the *No. Four*, taking six pellets every four hours during the day. The very worst cases are thus cured.

In Traveling, the change of water, irregular diet, malaria, or other causes, often occasion diarrhea, liable to be followed by dysentery, cholera morbus or other grave affection. Hence in warm weather care should be taken to avoid anything likely to produce this result. Avoid fruit, pies, pastry, oysters, or eating in haste. Eat crackers, light bread, well cooked meat and vegetables, rice, or other plain food, taken at regular periods—better too little and too seldom, than too often and too much. Any derangement will be promptly remedied by the *Specific No. Four*, six pellets, repeated as occasion demands.

If looseness of the bowels is accompanied with griping or cutting pains, or blood-stained stools

forming what is called *dysentery diarrhoea*, the *Specific No. Five*, taken every two or three hours, will be found, usually more efficacious than the *No. Four* for this form of disease, or the two *Specifics No. Four* and *No. Five*, may be taken in alternation, a dose six pellets, every three hours.

§ 27 In *Dysentery and Dysentery Cholera Morbus* and *Cholera*, all fruits and vegetables are pernicious, especially new potatoes, lettuce, tomatoes, peas, turneps, turnips, radishes, cucumbers, and even strawberries, peaches, cherries, pears or apples can rarely be indulged in without an immediate aggravation of the disease. Attention to these few essential hints, and the use of the *Specific No. Four* has been effectual in curing the disease, and saving multitudes of lives.

Dysentery. This is a disease which is frequently fatal in summer and autumn. It prevails in the fall of the year, when the nights are cool and the days hot. The first symptom is usually a sensation of heatiness and weight about the anus, soon followed by a desire for stool. Or there may be some stools for a day or two, when the evacuations become more tedious, very severe, and attended with *straining* and a desire to continue the effort, as if the evacuation could not be completed. In a little time this desire becomes constant, forming what is called *tenesmus*, the patient wanting to be constantly on the chamber. The evacuations consist only of mucus, mixed more or less with blood; or

indeed, in some cases, of pure blood mixed with shreddy particles, which look like scrapings. Before and during the evacuations there are violent, cutting, pressing pains in the bowels, often very severe. In some cases the stools consist only of white, gelatinous mucus, like the white of an egg, and in others it is only greenish mucus, streaked with blood. In some cases there is violent fever; in others, little or none. There 's no natural fecal matter in the stools—and when this appears in any quantity the disease is broken.

TREATMENT.—The patient should keep quiet, avoid exercise or labor of any kind, lie down, and confine himself strictly, during the whole course of the disease, to a *porridge made of milk and flour, well cooked*, or to farina gruel, or rice-water and boiled rice. No vegetables or fruit can be allowed; nor meat, nor meat-broths; and spirits, or stimulants of any kind, are absolute poison. Use no other medicine, of any kind. Opium only conceals the disease, by quieting the pain and evacuations, while the disease rages more destructively.

When the disease comes on without any particular fever, with cutting pain in the bowels, colic, straining, and bloody stools, at once take the *Specific No. Five*, six pellets every hour, permitting them to dissolve in the mouth. As the disease improves, the intervals between the doses may be lengthened. This method, strictly followed, will rarely fail to effect decided relief.

in the worst cases, in twelve or twenty-four hours; in lighter ones much more rapidly; and permanently cured in four or five days, as the experience of thousands testifies.

If the dysenteries are very frequent—every ten or fifteen minutes—and the tenesmus or straining very distressing, injections of *Lin. Acid.* may be given, or the patient may have a seat-bath of tepid water. If the disease commences with high fever, twelve pellets of the *Specific No. One* may be dissolved in six spoonfuls of water, of which give one spoonful every hour, two or three doses, before commencing the *Specific No. Five*. Then give the *No. Five*, six pellets in a spoonful of water, every half hour at first; then every hour or two hours as the disease improves.

INFLAMMATIONS.

Inflammations are much the same, in whatever part of the system they occur. There is usually a precursory stage, manifested by depression and followed by a chill. When formed, the inflammation is known by the *pain, heat, redness* and *swelling* which always attend.

Congestion of the Chest.—This is usually attended with a *feeling of oppression, anxiety, tightness and heaviness*, sometimes a short, irritating cough, with palpitation of the heart. It is often brought on by exposure or the use of stimulants, and may be followed by bleeding

from the lungs. Twelve pellets of *Specific No. One*, dissolved in half a glass of water, of which a dessert-spoonful should be taken every one or two hours, will soon remove the difficulty. In mild cases, six pellets of the *No. One*, taken dry, three times per day, will suffice.

Coughs, Colds, Bronchitis and Sore Throat, in their various forms, are frequent in this changeable climate, and often lay the foundation of disease and early decline. Consumption often commences with what appears as a slight cold, to which cough, pain, emaciation and hectic fever are added at a later stage.

A predisposition *to take cold* from slight exposure shows a weakness and irritability of the pulmonary organs which should not be neglected. Such persons should take more than usual care to avoid exposure to severe and sudden changes of the weather; see that the chest is well protected in winter, cold, or rough weather; use only water, milk, weak tea or cocoa for drink—and men should suffer the beard to grow under the chin and over the throat. Six pellets of *Specific No. Seven*, night and morning, will abate the irritability of the air passages, and fortify the system against pulmonary disease or consumption.

A **Cold** comes on with sneezing, dryness of the nose and throat, followed by cough—at first dry, but afterward with expectoration of thin, then thicker, and yellowish sputa, as the cold breaks up. With the cough there is pain or soreness of

the faintest, and sometimes none in the food, as if it would fly in presence of any change. Sometimes a cold continues with frequent symptoms of inflammation, frequent cough, sufficient cough, and there is a hot point in the side of the chest. In other cases, the cold continues but does not demand producing fever, pain and difficult breathing.

Treatment.—Begin with *Specific No. Seven*, and repeat the dose every two hours until the cough becomes worse and the inflammation diminishes, and the cold is subdued.

If the cold cannot in this manner be cured, but still in pain, begin treatment with *Specific No. One*, taking six pellets every hour until the fever is allayed. Then take the *No. Seven*, six pellets every three or five hours, and repeat the first medicinal interval of two hours. You will thus arrest the disease and prevent the development of a pneumonia or bronchitis.

Patients of course drink freely of cold water, freely, actively, avoid coffee, stimulants and overfeeding, as well as exposure.

In case of much cough, or cold of some kind, repeat the *Specific No. Seven* four times per day, in conjunction with the *No. One*, as above mentioned.

In all cases of cough or cold where the *Specific No. Seven* fails of prompt relief, always alternate with the *No. One*.

Branchitis is an inflammation or irritation of the mucous membrane lining the air passages, manifested by hoarseness, cough, sometimes

fever, irritation and soreness in the chest. In its more advanced stages there is hectic fever, emaciation, loss of voice, and other symptoms of consumption.

TREATMENT.—Six pellets of *Specific No. Seven*, taken four times per day, will generally cure. But should there be considerable irritation, or the case not promptly yield, alternate the *Specific No. One* with the *No. Seven*, a dose every three hours. This is the proper treatment for all irritative, obstinate coughs, and will be found successful.

CASES OF MORE SERIOUS COUGHS, BRONCHITIS OR INCIPIENT CONSUMPTION, attended with cough, expectoration, pain or irritation in the breast or side, weakness, emaciation, occasional chilliness or moving chill and evening fever, deficient appetite and diminishing strength—all pointing to an incipient or even confirmed pulmonary or bronchial disease—may require *Special Prescription No. Seven*, which is put up for such cases. This is prepared in the form of two *extra large vials* of medicated pellets, which have in a large number of instances successfully restored many persons of weak lungs who have been considered by their friends as far advanced in consumption. It is confidently recommended as a most reliable cure. Price per package, with full directions \$2.00. Sent by mail.

Hoarseness and Loss of Voice not unfrequently accompanies some forms of bronchitis, or even common colds; and sometimes it appears

in certain persons from almost every exposure. It is always an indication of pulmonary weakness and should be attended accordingly. This form of disease finds its remedy in the *Specific No. Seven*. Take six pellets every three hours. In discharge cases, the *No. Thirteen* may be taken in alternation with the *No. Seven*, and will be found successful.

Chrysitis suppurativa, after effort, should always take six pellets of *Specific No. Seven*, or of the *No. One*; the irritation of the throat and vocal organs is at once allayed, and the voice and throat preserved.

Influenza is an epidemic form of disease, occurring most peculiarly upon the air passages, often prevailing over a large extent of country, afflicting thousands of people in a similar manner. These epidemics vary in their character from year to year, but in general the depression, fever, roughness, general condition of the system is much more deeply affected than from common colds. Six pellets of the *Specific No. Seven*, repeated every three hours, will generally suffice to arrest the disease. If there is also sneezing, and discharge from the nose and eyes, the *No. Nineteen* will cure or should be given alternately with the *No. Seven*.

Pneumonia, or inflammation of the Lungs is a disease of frequent occurrence, and of dangerous character. It may affect one or both sides of the chest, the double form being the more serious. It often comes on after a cold

insidiously, with restlessness, a *chill* and some fever, and sometimes is well seated before its true character is known. There is a deep-seated dull pain or oppression under the shoulder blades, or side, or breast; feeling of decided illness; frequent short cough, and expectoration of *sticky, adhesive matter* of a green, yellow or rust color, usually *tinged* or *mixed* with *blood*, and so adhesive that the vessel may be inverted without detaching it. The breathing is *oppressed*, *short* and *barrelled*; skin hot over the ribs and armpits; the nose is dry, eyes tearless; thirst; speech interrupted, hurried in bad cases. The pulse varies, sometimes rapid and full, at others hard and wiry, or quick and weak; the urine is red, scanty, and sometimes scalding, and the patient lies on the affected side or on the back. There is dullness over the affected part on percussion, and on applying the ear crepitation may be heard, a sound resembling that produced by rubbing a lock of hair close to the ear.

TREATMENT. At once dissolve twelve pellets of *Specific No. One* in six large spoonfuls of water, of which give a spoonful every hour. Give also a hot foot-bath, and apply cloths wrung out of *hot* water to the chest, covered with dry flannel if the oppression is severe. After six or twelve hours' use of *Specific No. One*, every hour, as above, prepare *Specific No. Seven* in like manner, twelve pellets in six large spoonfuls of water, of which give, in alternation with the *No. One*, a spoonful every hour, until the

Breathing is easier, expectoration more free, and heat, pain, and perspiration appears, when the intervals between the doses may be increased to two hours. The patient must be kept in a warm, well-ventilated room, very quiet and have only natural food and drinks and farinaceous diet. These means will gradually relieve the oppression, allay the fever, induce free perspiration, and thus break up the disease. The patient must avoid exercise until quite recovered.

Pleurisy, Stitches in the Sides. There is a form of *Acute Pleurisy*, which is an affection of the membrane or tissue of the chest, and may be known by the sharp pain and soreness along between the ribs, and from it extending on *without a chill or fever*. This is usually cured by *Specific No. One* and *No. Fifteen*, taking six pellets every two hours, in alternation, until relieved.

True Pleurisy. This comes on suddenly, with a shivering chill, fever, and sharp, stitching pains, called *stitching between*, generally just below the nipple, and on one side. The pains are worse by coughing, pressure, or deep inspiration. There is also short, frequent, dry cough, parched tongue, flushed face, hard, quick pulse, scanty, red urine. The patient lies on the back or affected side. If the lung is also involved, the sputa will be adhesive and *streaked with blood*. If not relieved, an effusion of fluid into the pleural sac occurs, attended with very serious consequences.

Treatment.—At once dissolve twelve pellets of *Specific No. One* in six large spoonfuls of

water, of which give a spoonful every hour. Apply, also, hot wet cloths to the affected side and give a hot foot-bath. After six hours, prepare *Specific No. Seven* in the same manner as *No. One*, and give of the two alternately, at intervals of one hour. Later, as the patient improves, two hours between doses, until the disease is cured. Care must be taken to avoid exposure and not to go out too soon.

Hemorrhage from the Lungs is promptly relieved by the *Specific No. One*. If there is only a slight spitting of stained sputa, with some cough, six pellets taken four times per day, with quiet and freedom from effort or excitement, are sufficient. But if the bleeding is more profuse, dissolve twelve pellets in six spoonfuls of water, of which take one spoonful every hour, and the intervening half hour, a half teaspoonful of the *Marvel of Healing*.

Vomiting of Blood.—This may be known from bleeding from the lungs by the blood being usually darker, and being thrown up in masses by vomiting and without much cough, and requires the same treatment. Salt water is an old remedy, and often serves to allay the bleeding, and there is no objection to its being used in moderate quantities (a teaspoonful at a time), while in the meantime the *Specific No. One* allays the internal congestion, which is the more immediate cause of the hemorrhage.

A Specific Remedy of greater value, however, in all cases of hemorrhage or bleeding from any

part of the body, is the *Mucus of Hering*. Half a teaspoonful of this may be taken every hour, or even half hour until relieved, and then at longer intervals or take the *No. One*.

Inflammation of the Bowels. This is always a dangerous disease, commencing with chilliness and pain by the bowels, to which there is added extreme tenderness of the abdomen to the touch, often also vomiting and constipation. The fever soon becomes high, the pulse small, tense, and quick. Give the *Specific No. One*, six pellets every hour, in a spoonful of water, and at the same time wring a napkin out of tepid water and lay it on the bowels, covering with a dry flannel cloth, to keep the bed clothes dry, and renew the wet cloth as often as it gets dry. This treatment may relieve the whole disease in a few hours, and the bowels will later move of themselves, or the disease abates, or if not, they may be assisted by an injection of warm water.

DISEASES OF THE DIGESTIVE ORGANS.

Nausea and Vomiting frequently occurs. Sometimes it is the mere result of overloading the stomach, at others, of irritability of this organ, arising from some near or remote cause. Usually, in simple cases of nausea and vomiting, it is not best at once to interfere; but when the stomach has become emptied, or the vomiting severe and annoying, you may relieve it by dissolving six pellets of *Specific No. Six* in a glass

of water, of which take a large spoonful after every turn of vomiting. It will soon cease.

Dyspepsia, Weak Stomach, Constipation, BILIOUS COMPLAINTS—Thousands of persons suffer from weak stomach, indigestion and their kindred evils. With some, it is but a transient indisposition, occasioned by a chill, fatigue or some error in diet, and is manifested by loss of appetite, coated tongue, bad taste in the mouth, especially in the morning, dullness and debility. With others, it is a more permanent affection, with constant weakness of the digestion, so that even the mildest food causes heaviness or uneasiness, costiveness, and that general depression and lowness of spirits which mark the confirmed dyspeptic. Sometimes even the lightest food causes a sensation of fullness of the stomach, feeling of weight and heaviness, as if a stone lay in the stomach; tight clothes are insupportable, and there is tenderness of the part on pressure. Often there is acid taste in the mouth, and regurgitation of food, or of sour or bad tasting water or air. Usually the bowels are costive, move tardily and insufficiently, and piles or hemorrhoids and flatulency are rarely absent.

This condition of things may continue for years, embittering the life of the patient, and leading to decline. The commonly used remedies are worse than useless. Cathartics are injurious; for, although they move the bowels for a time, their action weakens the digestion, and thus increases the difficulty they are intended to cure.

Such persons should be careful of their diet; eat only such articles of food as agree with them best; eat moderately; masticate the food well; take plenty of time for meals, and take but very little food when eating; and put no food before early meal, and on retiring at night take six pellets of *Specific No. Ten*, and these will soon bring agreement. Persons who in this simple course receive various kinds of acid indigestion to cure the most obstinate cases, as follows, 18, from experience, can testify.

Constipation or Bilious Bowels is a result of indigestion and torpid action of the liver or the lower bowels, and is always treated and corrected by the use of cathartic pills or specifics. It will be cured in a natural and permanent manner by the following

Treatment. Take food no longer before such need, and at night before going to rest six pellets of *Specific No. Ten*, the last dose with a glass of water. If the bowels fail to move after a reasonable time, take a large quantity of tepid water, which repeat if needed. A single glass of tepid water may always be resorted to with benefit. This treatment, in connection with the use of the *Specific No. Ten*, so soon as the system is fully brought under regulation, will not fail to permanently relieve the most obstinate case of constipation.

Indigestion or Bilious Condition arises in consequence of too heavy a meal, or from fat, rich, indigestible food; or food taken at an

unsuitable time, or when the system is depressed with grief or care. The tongue is coated, bad taste in the mouth, head dull, heavy or aches, and bowels confined. Take six pellets of *Specific No. Ten* four times per day, before meals, and the condition will soon be relieved.

For Flatulence OR WIND IN THE STOMACH OR BOWELS, use the *Specific No. Ten*, as above.

Heartburn, a mere symptom of dyspepsia, requires the same *Specific*, in like doses.

Piles or Hemorrhoids.—This disease, so common and so well known, usually depends upon congestion of the abdominal venous circulation. This congestion eventually results in the formation of tumors, and frequent hemorrhage or discharge of blood, or, in some cases, a discharge of mucus, or violent itching. A rational treatment will seek to relieve this congested condition, upon which the tumors depend. This the *Specific No. Seventeen* will usually accomplish, and for this purpose six pellets should be taken four times a day until quite relieved.

For an attack of Piles, with some fever, heat of the parts, inflammation of the tumors, which become red, hard, painful or bleeding, with pain extending often to the back or head—keep quiet, mostly lying down or but little on the feet, and take at first every hour, six pellets of *Specific No. One*, dissolved in water. After a day, alternate *Specific No. Seventeen* with the *No. One* at longer intervals, keeping the parts anointed with the *Witch Hazel Oil*. This treatment with

care diet and keeping other evils far to cure.

Chronic Ulcer, which are often attended with *acute bleeds*, require *Specific No. Seventeen*, morning and afternoon, and *No. Ten* at noon and night. They are infallible.

For the more perfect treatment and cure of *Peptic Ulcers* or *Ulcers of the Stomach* or *Ulcers of the Intestines*, and for *Chronic Ulcers*, see *Prescription* in *use*, and for *Ulcers of the Stomach*. Dr. H. Williams has prepared a *Special Prescription* containing full description and directions with *Oil of Cloves*, and *Medicines for Use*. Price \$2.00. Send to my address on receipt of the price.

Gastralgia, or **CRAMP OF THE STOMACH**, is a fixed, extremely violent pain at the pit of the stomach, often attended with nausea and vomiting. The pain comes on in paroxysms, increasing and continuing, lasting some hours, and the region of the stomach is often tender and tender to the touch. The paroxysms often return at periods of a few weeks, with a free interval between.

TREATMENT.—To cure the condition upon which it depends, take night and morning, six pills of the *Specific No. Ten*, as a preventive. For an attack dissolve twelve pills of the *No. Ten* in a glass one third full of water of which take a large spoonful every fifteen minutes. Should the *No. Ten* not relieve, prepare the *No. One* in the same manner, and take alternately with the *No. Ten*. Warm or hot cloths laid over the stomach are often soothing. Sometimes a hot foot-bath to relax the system.

Bilious Colic consists of paroxysms of most violent griping, cutting or rending pain in the bowels, often with severe suffering, sometimes remitting for an instant, and then returning with greater intensity. The paroxysms are occasioned by exposure, passage of gallstones, and other causes, and sometimes return at intervals of four, six or twelve weeks.

For an attack take six pellets of *Specific No. Five* dry, dissolved in the mouth. This may entirely relieve. If not, dissolve twelve pellets in six spoonfuls of water, of which give a spoonful every ten or fifteen minutes, until relieved. If heat, fever or great restlessness comes on, or the bowels become painful on pressure, threatening inflammation, dissolve the *Specific No. One* in water, as above, and give alternately with the *No. Five*, a dose every half hour. Use no other medicines, internally or otherwise—only, if the case is obstinate, inject tepid water in large quantities. This not only relieves, but also facilitates a cure.

DISEASES OF VARIOUS ORGANS.

Headache is less frequently a disease itself than a symptom of some more general affection. Sometimes it is comparatively trivial, at other times of great importance, often interrupting the business of the patient, causing great suffering, and prostrating the system so frequently as to undermine the health.

Persons subject to headaches should abandon the use of coffee, and also of strong tea, as the use of those beverages often contributes to keep up the disease, and in some cases alone causes it. They should live regularly and temperately, and take every night six pellets of *Specific No. Ten* on retiring, and six of the *No. Nine* in the morning on rising. Thousands have thus been permanently cured.

For an attack take six pellets of *Specific No. Nine* every hour until the suffering abates. If the attack commences with blindness, followed by extreme nausea and vomiting, twelve pellets of *Specific No. Nine* may be dissolved in a glass one-third full of water, and a dessert spoonful of the fluid may be taken every half hour until the more violent symptoms abate. Heat and throbbing in the head is cured by *Specific No. One*, which may be prepared in water, or be given dry every hour.

HEADACHES FROM CONSTIPATION or *derangement of the stomach* are cured by the *Specific No. Ten*, taking six pellets every hour during an attack, and then night and morning.

The cure of old, long-standing headaches requires time and perseverance, but conclusively be accomplished by taking the *Specific No. Nine* each morning and *No. Ten* at night.

Sleeplessness, Nervousness and Restlessness of adults finds a charming remedy in the *Specific No. Three*. Six pellets taken on going to rest, or if wakeful during the night, act like

a charm. *Sleeplessness with fullness* or heating in the head, or red face, such as people of full habit are subject to, is cured by *Specific No. One*, six pellets at bed time, and that from indigestion, by the *No. Ten*, six pellets at night.

Toothache is an affection too well known to require description. The pain is usually found in connection with decayed teeth, but sometimes also in sound ones. When badly decayed teeth begin to ache, it may be best to have them extracted. Yet even here, the *Specific No. Eight* will often allay the pain, and the teeth may do good service for years. But when pain affects sound teeth, we should rarely have them taken out until we have exhausted every means to relieve without this alternative. It is a most insane practice when we have a toothache, which may be occasioned from a cold or other transient cause, to rush to the dentist and lose a tooth. It is better to exercise a little patience and judgment: quiet the system, and allay the exciting cause, and save the tooth.

Treatment. Take six pellets of *Specific No. Eight*, repeating every hour. If not relieved, dissolve twelve pellets in a glass half full of water. Also prepare the *Specific No. One* in the same manner, and take of the two alternately every hour a dose until relieved. Sometimes the *No. Fifteen* is very efficient, and in other cases the *No. Ten*. Toothache with swelling of the face requires the *No. One* and *No. Eight* in alternation.

It is a bad practice in toothache to hold spirits, camphor, or other heating stimulants in the mouth, or to apply croton, turpentine, oil of cloves, &c. These more frequently irritate than relieve. Let the diet be light if the stomach is deranged; if there is a mild cure that and you will soon find relief and save your teeth.

Neuralgia.—The pain is usually limited, or extended along the course of a branch of nerves, and is very acute, cutting or pricking in its character. The pain has also its periods of increase and diminution, often worse in the evening and at night, and better in the morning. There is usually no tenderness on pressure, in distinction from pain of an inflammatory character. Six pellets of *Specific No. Eight*, taken every one or two hours will, in most instances, afford prompt relief. In case the *No. Eight* does not relieve, alternate it with the *No. One*, as in other cases. Sometimes the *No. Eight* and *No. Fifteen* are alternated with great advantage.

Inflamed and Sore Eyes and Eyelids.—For an acute attack of *Ophthalmia* or *Inflamed Eyes*, with pain, dread of light, flow of tears and inflamed appearance of the eye ball, dissolve twelve pellets of *Specific No. Eighteen* in a glass half full of pure water, of which take a spoonful every three hours. Also dissolve twelve pellets of the same *Specific* in a tea cup of pure, soft water, and with this bathe the affected eye from time to time. A yet better lotion for sore or weak eyes is made by adding a

large spoonful of the *Murrel of Healing* to a tea-cup half full of pure, soft water, and with this bathe the eyes every three hours. Continue this from day to day until cured. The eyes should be shaded from strong light, and not taxed by reading or sewing.

In cases of chronic inflammation of the eyes or eyelids, bathe the eyes as above directed three or four times per day, and take six pellets of *Specific No. Eighteen* dry, on the tongue, at night, and the same of *No. Thirty-Five* each morning.

Persons suffering from weak, inflamed or sore eyes should live on plain, light food, but little meat or spiced food, and no coffee or stimulants. Plenty of exercise in the open air, but nothing to overheat or fatigue the system or eyes.

Stye on the eyelids is usually promptly cured by taking six pellets of *Specific No. Eighteen*, four times per day.

Weak and Deficient Sight.—For the cure of *weak eyes, failing, deficient, blurred or weak sight*, simply take six pellets of *Specific No. Eighteen* night and morning. Also frequently bathe the eyes and around the eyes with cold water, or diluted *Murrel of Healing*, avoid straining or fatiguing the eyes by fine work, reading fine print, or any long-continued effort of the eyes, and also the use of glasses which fatigue or weary the eyes. And especially avoid taxing the eyes when the body is weak or feeble. This treatment not unfrequently improves the sight,

prevents its premature failure and the early resort to glasses.

Earache, Discharge from the Ear. As the result of Scarlet Fever, Measles, or from Mercurial Poisoning or Scalding, discharges take place from the ear, either of pus or puriform mucus. Often during this morbid condition of the ear, a slight cold induces an inflammatory action and pain, resulting, after a time, to a fresh discharge from the ear. These frequently recurring discharges generally terminate in noises in the ear and partial deafness, or even entire loss of hearing.

For Earache, take six pellets every hour of *Specific No. Twenty-Two*, until relieved. Alternate the *No. One* if there is heat or fever, or the *No. Three* for infants.

For Discharge from the Ear, either in adults or children, always give six pellets of *Specific No. Twenty-Two* morning on rising, and at night on retiring. There must be allowed, in conjunction with the medicine, to perfect the cure.

For Hardness of Hearing, Noises or ringing in the ears, give six pellets of *Specific No. Twenty-Two* morning and night. The most gratifying effects is removing the noise and improving the hearing result.

Infusions of water and castile soap for the ears are generally injurious, and should only be resorted to for purposes of cleanliness, if at all.

Chronic Catarrh, or Cold in the Head.—Catarrh is, in most instances, a chronic inflammation and thickening of the mucus or pituitary

membrane lining the nasal cavities, and sometimes involving also the air-passages.

Its principal symptom is a discharge, of various character, color, and consistency, sometimes thick and offensive, at others thin and acrid; there is often pain and heaviness across the forehead and upper part of the nose, sneezing and raising of the mucus from the throat, and a sense of something dropping in the throat. It is usually worse in cold and changeable weather, and better when dry and warm.

For old or chronic cases, when the symptoms are only moderate, six pellets of *Specific No. Nineteen*, taken four times per day, will be sufficient. But if the symptoms are more violent, with profuse discharge, pain in the head, dullness, or similar symptoms of acute catarrh or influenza, take six pellets every two hours. Patience and perseverance in the use of the *Specific* will cure most cases of chronic or obstinate catarrh.

For those more obstinate, deep-seated or long-standing cases of *Catarrh*, or more properly • *Ozaena*, attended with profuse discharge, thick, yellow or dry crusts, offensive smell, at times sore throat, loss of smell or taste—we offer in confidence a *Special Prescription for Chronic Catarrh*, consisting of two large vials—one of powder and one of pellets—as being by far the most safe and reliable remedy known. It has cured thousands, and none have taken it without benefit. Price, with directions, \$2.00.

If a *Catarrh* or *Influenza* or *Cold* in the *Head* has come on from taking cold, wetting the head or other exposure, with sneezing, obstruction or discharges from the head, six pellets of *Specific No. One*, every two hours, will promptly relieve. If not fully cured, alternate the *No. Seven* with the *No. Nineteen*, if there is cough and irritation of the lungs.

Autumn Catarrh, Hay Asthma, and Rose Catarrh are the various names by which a peculiar yearly recurring catarrhal affection is known. In some cases it comes on in June, with the advent of roses; in others with the first mowing of hay; but in the vast majority, on or about the 20th of August. The access is sudden, often attended with violent sneezing, repeated again and again, tearfulness, running from the eyes and nose of thin, irritating water; itching of the forehead, nose, eyes and ears; general irritability and lassitude; redness and swelling of the eyelids and nose, and as the disease affects the chest or bronchial tubes, of severe *dyspnea* or *asthma*, sometimes preventing lying down, and for days and weeks keeping the patient in the greatest distress and peril. The disease usually continues until frosty weather: is better in high mountainous regions, at sea, or in pure air: and is aggravated by dust, riding in cars, the pollen of hay or flowers, and in low, miasmatic regions. Sea-bathing is often beneficial, and a sea-voyage affords entire relief. It is difficult of cure, but the *Specifics No. Nineteen* and

No. Eighteen may be used, six pellets in alternation, a dose every two hours, for the sneezing catarrh and running from the eyes. The *Specific No. Twenty-One* will be effectual for the asthmatic attack, given by dissolving twelve pellets in half a glass of water of which a spoonful may be taken every half-hour or hour, according to circumstances. For the better treatment of *Hay Catarrh*, we have a *Special case of Specifics* with three vials of liquid and with full directions, which has proved very effective. Price, \$3.00.

Asthma is known by occasional paroxysms of *difficult breathing*, lasting from a few hours to several days, coming on at intervals to be followed by remissions, during which the patient breathes with comparative ease. The attack returns again, either at regular intervals or is provoked by exposure to cold, damp air, severe effort, or even mental emotions. During the attack, the respiration is labored, wheezing, sighing, loud, accompanied with anxiety and frequent cough. Sometimes the lips and face become bluish, and toward its close, or even during its entire continuance, free expectoration of mucus.

The disease depends upon a variety of morbid conditions, usually chronic thickening, with extreme irritability of the mucus membrane of the air-passages; but it may also arise from disease of the heart or large vessels, or other similar organic changes.

The permanent cure will depend upon the curability of the original morbid condition, but in all cases benefit may be obtained by the use of *Specific No. Twenty-One*, and many, even old obstinate cases are permanently cured by it.

TREATMENT.—During the intervals, and to prevent a return of the paroxysm, take six pellets of *Specific No. Twenty-One*, morning and night.

DURING THE PAROXYSM.—First take six pellets of *Specific No. Twenty-One* dry, and then dissolve twelve pellets in a glass half full of water, and of this solution take a dessert-spoonful every hour. If there is head and feverish excitement, prepare *Specific No. One* by the same manner and take alternately with the *No. Twenty-One*. *No. Six* often promptly helps.

Disease of the Heart is generally manifested by palpitation, spells of absent beating, or other irregular action of the heart; difficulty of going upstairs, or ascending a hill; suffocative turns; inability to sleep with the head low; and other symptoms of impeded circulation. Some cases of organic disease of the heart are incurable, but all may be relieved, and cases of functional diseases of this organ are controlled by the *Specific* here named and proper habits.

TREATMENT.—Avoid excitement, severe effort, running, mounting stairs, or whatever may occasion violent or irregular action of the heart, and take six pellets of *Specific No. Thirty-Two* night and morning, or four four times per day. Even severe and longstanding cases are cured.

For *simple palpitation of the heart*, six pellets will usually suffice; if not soon relieved, alternate with the *Specific No. One*, at intervals of an hour, until the attack passes off; then go on with the *No. Thirty-Two*.

General Debility, or Physical Weakness, is usually the result of sickness, or of some drain upon the system beyond its power of recuperation. The symptoms are varied—weakness, easy fatigue, weak or lame back, sweat on going to sleep, vertigo, ringing in the ears, starting on going to sleep, are among the more frequent manifestations. The first element of a cure is to arrest the drain, and restore the wasted substance by means of proper nourishing diet and regimen, such as nutritious, easily assimilated food, appropriate in quality and quantity; good wine, or even malt beer or whiskey, in small quantities, for old or very feeble patients; and good air and reasonable exercise. With this also take of *Specific No. Twenty-Four* six pellets four times per day, permitting them to dissolve in the mouth.

Should there also be weak, feeble or imperfect digestion, as is often the case, the *Specific No. Ten* may be taken alternately with the *No. Twenty-Four*, two doses of each per day, with splendid results.

Compare carefully, so as not to confound **General Debility** with *Nervous Debility*. For, while the two conditions may have similar results, the treatment is quite different.

Nervous Debility frequently results from losses which take place at night, and even at other times, resulting in nocturnal emissions, and sometimes in loss of strength and weight. Not infrequently prostration follows, and extreme nervous prostration is the result. Nervous debility, weakness and prostration are very common effects, when the *Specific No. Twenty-Eight*, is an inevitable consequence.

When debility, as well as the total cause of loss, can be traced by proper habits and the use of the *Specific No. Twenty-Eight*.

To cure, require, so far as possible, abstinence from sexual intercourse, abstention from use of excitement, and no kind of work, or exertion, or a hard bed, sleep but eight hours, eat two worms, and always lie and sleep upon the side, and never upon the back.

Be temperate in diet, abstain from beer, day, and never take alcohol, no spices, hot season, drinks or smoking, food, and be sparing of coffee, and take six pellets of *Specific No. Twenty-Eight* morning and night.

In chronic or long-standing cases, it is better to purchase a \$1.00 package for *Nervous Debility*, containing a large tin of powder and five vials of pellets, of which the powder is to be taken in the morning, and six of the pellets at noon and at night. The course may be continued indefinitely, with proper habits and regimen. The *prostration, weakness, and Debility* are promptly relieved, the mental dullness and gloom dispelled, and a cure

follows gradually and permanently. For more than twenty years it has given complete satisfaction to thousands. The package is sent by mail on receipt of the price.

Rheumatism appears mostly in two forms—the acute or inflammatory and the chronic. **ACUTE RHEUMATISM** usually comes on after exposure to rough, damp, cold weather, and often from labor or exertion during exposure. There is fever, painful tenderness, soreness, lameness, and swelling of the affected part, and the disease is liable to shift from one part to another. It is mostly confined to the joints and extremities, but sometimes falls upon the chest or heart, especially if blisters or powerful applications are made to the affected part.

TREATMENT.—*For Acute Rheumatism*, with soreness, lameness and pain in the part, take six pellets of *Specific No. Fifteen* every hour, and the patient should remain in doors, and keep quiet until relieved. If fever, heat and swelling of the part are present, or a chill succeeded by heat, prepare *Specific No. One* by dissolving twelve pellets in half a glass of water, of which give a large spoonful every hour for a day, and then prepare the *No. Fifteen* in the same manner, and take of the two alternately at intervals of two hours. These medicines should be continued from day to day, until the disease is broken up, preparing the two *Specifics* fresh every morning. Applications of cloths wrung out of tepid water, and laid on the part, are very

soothing. Cold water, however, applied to the part, is very liable to cause its falling upon the lungs, and thus often ending with serious results. The *Mercut or Healing* is a most valuable application for the inflamed and swollen parts, and may be applied according to directions on each bottle. Also the *Witch Hazel Oil* (see pages 12 and 126).

For Chronic Rheumatic Pains in the shoulders, arms, hands, knees or feet, take six pellets of *Specific No. Fifteen* four times per day until relieved. If there is stiffness, lameness, or contraction of the tendons, rubbing the part night and morning with the *Witch Hazel Oil* is invaluable.

For Lumbago or painful rheumatic stiffness across the loins and back, take *Specific No. Fifteen*, as above, four times per day.

Pains, stinging, stitches or soreness about the chest, or elsewhere, soon yield to the *Specific No. Fifteen*, taken as above.

For Sciatica, or pain extending along the course of the sciatic nerve, from the hip along down to the leg and foot, take the *Specific No. Fifteen*, six pellets four times per day. The most obstinate cases have been cured by this Specific.

Difficult cases of *Phonetic Rheumatic Pain*, or *Sciatica*, when the *Specific No. Fifteen* fails to afford the desired relief, it should be alternated with the *No. One*, three hours apart in acute cases; in chronic ones, four times per day.

The *consequence of a fall, shock, contusion, or of a wrench*, overstraining or excessive labor or exertion, soon yield to the same treatment.

Rheumatic patients should use largely, in their diet, of fruit—oranges, apples, grapes, pears, berries, either eaten alone or with milk, and vegetables, and little or no meat. The acid of fruit is a valuable curative for all forms of this disease, and should be partaken of freely.

Sea-Sickness.—The peculiar sickness and utter wretchedness and prostration experienced by persons on first going to sea, and even in a measure by some persons from riding in a car, stage or wagon, is so well known as not to require description.

It can, however, in most cases be cured by the *Specific No. Twenty-Six*, taken as follows:

Previous to sailing, as a preventive, take *Specific No. Twenty-Six*, six pellets every four hours, permitting them to dissolve on the tongue, beginning several hours before sailing. Hundreds have thus been saved from sea sickness.

After sailing for the first two or three days, take six pellets every three hours; and should there, notwithstanding, be sickness, vertigo, nausea or vomiting, dissolve twelve pellets in half a glass of water, and take a dessert-spoonful every hour, until the sickness abates.

FOR SICKNESS, NAUSEA OR VOMITING, from riding in a carriage or cars, or similar motion, six pellets of *Specific No. Twenty-Six* every hour soon relieve.

Tape-Worm is rare in this country, but common where people eat unseasoned meat. The worm consists of a head and neck, a neck and a body, each composed of flat, ribbon-like sections, a third of an inch in width, and half or two-thirds of an inch in length, and of which there may be sixteen. At the end of these sections at joints near toward the lower end, they are cast off and taken into another segment thus form, because there is great width again, when taken into the human system, because the vertebrae have space. All symptoms of its presence are apparent, except the segments of the worm are found in the discharges. Some patients have no inconvenience from their presence; others complain of itching of the nose, swelling or distension, darkness before the eyes, noise in the ears, palpitation of the heart. For its radical cure, send to the Company for the *Tape-Worm Destroyer*, price \$1.00 with directions.

For Itching at the Anus, which often arises from the presence of *Auritus* or *Pia Hemis*, give the *Specific No. Two*, four pellets morning and night. If you desire immediate relief, give an Injection of one ounce of sweet oil. Anoint the anus also with *Witch Ham* oil at night.

Scrofula is usually considered as a constitutional vice of the system, manifesting itself in enlargement and induration of the glands, which may ultimately soften and discharge, enlargement, rupture or suppuration of the bones. The swelling of the glands is most frequently

manifested about the neck, beneath the ears or jaws, in the form of firm, hard, painless lumps. Scrofula not unfrequently complicates other forms of disease, and renders them obstinate.

Its eradication from the system requires time and perseverance, but may be accomplished by the use of the *Specific No. Twenty-Three*. A life-long constitutional taint requires time as well as proper medicine for its cure; and if eradicated in one or two years, the patient has reason for congratulation. Old School medicine and Quackery absolutely fail to cure it.

For Deficient Growth, feebleness, weakness, ear discharges, enlarged or suppurating glands, give *Specific No. Twenty-Two*, three times per day.

For Enlarged Glands about the neck, or in the arm-pits, groins, or other parts of the system, take six pellets of *Specific No. Twenty-Three*, morning and night; and if the swellings are painful or discharge, take the medicine four times per day.

For Old Tumors, wherever situated, take *Specific No. Twenty-Three*, six pellets morning and night.

For Enlarged Tonsils, take six pellets of *Specific No. Twenty-Three*, morning and night; and if the tonsils or throat are sore and inflamed, take the *Specific No. One*, six pellets every two hours, until the soreness is subdued; then return to the use of the *No. Twenty-Three*, or use the two alternately, every four hours.

DISEASES OF THE SKIN.

It has been common to treat eruptions by means of applications directly to the surface, which is the part or seat of the disease. But no eruption *forms* upon the surface without the co-existence of a morbid condition of the system. Hence the propriety of treating all such eruptions with internal medicine. It is not difficult to repel an eruption from the surface by active mechanical operations; but the disease is rarely thus cured, but is merely *repelled*, to fall upon some other organ or surface, and is generally more dangerous and difficult of cure. Hence we prescribe for the surface involved only proper care and cleanliness, and the internal use of the *Specific* for the cure of the disease. The cure is then natural, permanent and without injury.

The *Specific No. Fourteen* is essentially effective for the following forms of disease.

Erysipelas, either cutaneous or chronic. The acute form often appears on the face, commencing on one cheek or ear, and passed over the face or scalp like a fire, with redness, swelling, itching, heat and burning, and is terminated by desquamation or scaling off of the surface. Often ulcers or redness arise, fill with serum, and burst, covering the surface with thin film crusts. In such cases wash disperse twelve points of *Specific No. Fourteen* in six dessertspoons of water, of which give one spoonful every two hours, until the disease is cured. Make no application to the surface. Live on vegetable soups.

toast-water, but no meat or meat-broths. The disease will usually pass off quietly and safely.

In the chronic form, where simple red patches appear from time to time, either on the legs, face or other parts of the system, with itching and burning, six pellets of *Specific No. Fourteen*, four times per day, will be sufficient.

Shingles, a form of vesicular *Erysipelas*, which comes out in blisters on the breast or sides, extending partly around the body like a belt, requires six pellets of *Specific No. Fourteen*, four times per day—soon cured.

For **Nettle Rash**, with reddish spots, which resemble mosquito stings, attended with burning and itching, in adults or children, give six pellets of *Specific No. Fourteen*, every four hours. If it is very itching and troublesome, alternate the *No. One* with the *No. Fourteen*, at intervals of two hours.

For **Eczema, Tetters, Scabby, Crusty Eruptions** on the face, around the mouth, on the ears, cheeks or forehead, with rough, scaly, chapped skin, attended with itching and burning; the crusts fall off, leaving an angry, sore surface, upon which the crusts form anew—for all such eruptions, whether called *Eczema, Herpes, Tetters, Milk Crusts, Salt Rheum, or Barber's Itch*, give to adults six pellets, or to children three pellets, of *Specific No. Fourteen*, night and morning, or even four times per day. This treatment, persevered in, will, in time, radically cure the disease. *Special Prescription No. Fourteen*—two

large vials, one of powder and one of pellets, is for the cure of those disgusting sores of *Chancres*, *Flegmas*, *Whitlows*, and the most pernicious character of lesions. It has proven infallible. Price, \$2.00.

Scald Head.—The eruption is either *dry*, *scaly*, cutting off the hair, or *moist* with a growth of pustules on a red base, and a discharge of thick, yellowish matter, forming thick crusts and extending in patches over the head, cheeks, neck, &c. *Specific No. Fourteen* three times per day. Scrub off the hair if it is difficult to keep clean, and if more or expedient, be cautious about the application of soap or water, and moisten with the *Head Dress Oil* every other day.

For **Salt Rheum** on the hands, feet, legs, arms, or elsewhere, if chronic or of long standing, take six pellets of *Specific No. Fourteen*, night and morning.

For **Acne or Pimples** on the face and forehead of young people, which often appears in the form of small red pimples, sometimes slightly inflamed, and frequently with a black point or head, and often continuing for years, take six pellets of *Specific No. Fourteen*, night and morning; or, if the face or pimples are red, take the *No. Thirty-Five* each morning, and the *No. Fourteen* at night. The eruption can be entirely cured and the complexion wonderfully cleared by the *No. Fourteen* and *No. Thirty-Five*, if perseveringly used as the experience of hundreds testifies.

Suppurating and Irritative Ulcers on the body and limbs are perfectly cured by taking *Specific No. Fourteen*, six pellets three times per day, and applying the *Witch Hazel Oil*.

Old Ulcers on the legs, or other parts of the system are cured in the same manner. Take the *Specific No. Fourteen* three times per day, and apply HUMPHREYS' *Witch Hazel Oil* on a clean rag over the ulcer, and bind over it a proper bandage, rolling it from the toes upward over the entire sore, or yet better, apply an elastic stocking. The dressing should be changed daily. In some obstinate forms of ulcers, the alternate use of *Specifics No. Twenty-Three* and *Fourteen*, morning and night, is better, six pellets at a dose. Almost every form of ulcer is thus cured.

Chapped Hands or Lips require the *Specific No. Fourteen*, six pellets night and morning, and apply *Witch Hazel Oil*, or glycerine.

Boils are small, well known tumors, somewhat conical in shape, at first hard and inflamed, and which gradually suppurate and discharge, at first blood (or matter mixed with blood, and afterwards pus and a core. Sometimes successive crops of boils appear for months, or even years.

Cured by taking *Specific No. Fourteen*, four times per day.

Carbuncles are malignant boils, with inflammation of the surrounding tissue, from an inch to six inches in diameter, hard, livid, with great pain, itching and burning, not suppurating like

a bell, but discharging a thin, acrid fluid from several openings, having a whitish mass within, which, being discharged, leaves a deep ugly cavity—very painful and dangerous if large, or situated on the head or neck.

Treatment.—Give six pellets of *Specific No. Fourteen*, in alternation with *No. One*, a dose every two or three hours if awake or in pain, either dry or in water; also frequently anoint the tumor or boil with HUMPHREY'S *Witch Hazel Oil*. To prevent the reappearance of boils or carbuncles, take six pellets of the *No. Fourteen* three times a day for some weeks.

Small-Pox may be managed by keeping the patient quite cool, especially when the pox is running out; cold room, no fire, and giving *Specifics No. One* and *No. Fourteen* dissolved in water, one dose every two or three hours, prepared as directed on page 10. The same treatment for modified Small-Pox or *Varicella*.

URINARY AND KIDNEY DISEASES.

Chronic disease of the Kidneys is usually manifested by pain and weakness in the small of the back, and frequent discharges of scanty, muddy, thick urine, variously colored, sometimes depositing a pus like or chalky sediment. This condition needs a prompt relief, and by persevering treatment an ultimate cure, by the use of *Specific No. Twenty-Seven*, taking six pellets three or more times per day.

Catarrh of the Bladder.—Old chronic irritation and frequent inflammations of the bladder are apt to result in a chronic irritation and thickening of the mucous membrane of the bladder, urethra and prostate gland. There is *frequent desire to urinate*; the fluid is forcibly or spasmodically ejected in small quantities, and the passage is attended with aching, burning or spasmodic pain (strangury). The pain may be confined to the bladder or extend to the end of the penis, around the pelvis or down the thighs. The urine may or may not be unnatural; but when the disease has become chronic, mucus or pus is passed with it, thus constituting what is called *Catarrh of the Bladder*. Healthy persons urinate on an average five or six times in the twenty-four hours, but when there is inflammation or irritation, a slight distention is painful and the calls are frequent.

TREATMENT.—*Specifics No. Twenty-Seven* and *No. Thirty* are the remedies. Take the *No. Thirty* each morning and afternoon, and the *No. Twenty-Seven* at noon and at bed-time, six pellets at a time. If urgent, the medicines may be taken one dose every three hours. This treatment has relieved thousands of the most inveterate cases.

In old obstinate cases the *Special Prescription No. Twenty-Seven* may be most advantageously employed.

Chronic Disease or Degeneration of the Kidneys may vary in form, and in manifestation,

and sometimes with symptoms so obscure as to escape attention, until formidable desorganization occurs. But more common than this latent in the back or sides, the frequent, tingling, swelling or smarting urine, general weakness, anorexia and difficulty of continual micturition, vertigo and rheumatic pains in the back, arms or limbs, all pointing to defective action of the kidneys, and most apt to occur in middle or late life. This condition shall be seen in a special chapter for *Acute and Chronic Nephritis*, which has been prepared and used by the author for many years in his practice and which, from its great success, he has been enabled to alter in the above form. Price per capsule of two hundred and directions, \$2.00. If, of all this, and should be resorted to in all complaint of troubled urine.

Bright's Disease of the Kidneys is known by pain, weakness and weariness of the urine but the urine is generally pale, watery, frothy, either albumen or sandy, albuminous, and in the advanced stage, full of minute strands or casts from the diseased kidneys. It is later attended with some grade of dropsy, sometimes only very slight, as at the head, face or feet, but toward the last, very great and dangerous. This is a very serious disease and often fatal, yet scores of advanced cases have been cured by taking *Specifics No. Twenty-Seven* and *No. Thirty*, six grains at a dose and four times per day, in alternation, and hundreds of lives have been saved by their timely use.

Gravel or Renal Calculi is manifested mostly by frequent, scanty and painful discharge of variously-colored urine, and from time to time, as the calculi pass from the kidney to the bladder, by violent colic pain from the region of the kidney, inside the ilium or hip-bone, and down in front, along the course of the ureter. The pain is usually very severe, coming on in paroxysms, and returning from time to time until the calculi are discharged.

For the radical cure of this disease, take of *Specific No. Twenty-Seven*, six pellets before each meal, and at night.

For an attack of *Renal Calculi*—violent pain from the passage of the calculi—take of the *Specific No. Thirty*, six pellets dissolved in water, every half hour, until relieved. Hot foot and seat baths often afford relief.

Inflammation of the Kidneys may be known by pain in one or both sides above the hip, and toward the spine, in the region of the kidney, and thence usually extending forward and downward, with frequent desire to urinate, and scanty, hot discharge, and numbness along the inner side of the thigh on the affected side. There is fever and sometimes vomiting. The *Specific No. Thirty*, six pellets every hour in water, will afford prompt relief.

Inflammation of the Bladder.—The pain is low down in front, with severe burning and irritation, difficulty or inability of passing water, and almost constant desire to do so. The same

remedy, *Specific No. Thirty*, promptly affords relief, and may be relied upon for a permanent cure. Give medicine, six pellets dissolved every hour, in fluid.

Inflammation of the Urethra, or Gonorrhœa, is attended with irritation and constant desire for urination, and inability to retain it, and subsequently a discharge of thick white or yellow mucus from the part. The *Specific No. Thirty* will cure simple cases; but those arising from infection will require some time and patience. Give, in urgent cases, six pellets every one or two hours, or send for a *Special Specific* for that complaint. Price, with directions, \$2.00.

(Diabetes.) This disease is known as a constitutional anomaly, manifested by an excessive discharge of pale, heavy and sugary urine, the sugar being formed in the system from the starch or saccharine matter in the food. There is a sense of sickness, debility and progressive emaciation; red, fissured tongue, and enlarged papillæ; *intense thirst and frequent urinating*; voracious appetite and sinking of the stomach; bowels usually constive, and stools hard and dry; harsh and dry skin; the breath has a peculiar violet or chloroform-like smell; boils or carbuncles or swellings of the legs are frequent attendants; *excessive thirst* is one of the most characteristic symptoms. The quantity of urine is usually greatly in excess, amounting to from eight to twenty or more pints in the twenty-four hours. It is usually of a pale straw color, has a faint

smell of apple, hay or milk, and is *Specifically Heavy*, according to the amount of sugar it contains. Diabetic urine may be tested in various ways—will ferment with the addition of yeast, or leave a residuum like molasses on evaporation.

There is another form of *Diabetes*, characterized by an excessive discharge of clear, colorless urine, but which is devoid of sugar. There is thirst, a harsh, dry skin, and mental and physical weakness present; though this form is not so fatal as the former one.

TREATMENT.—In Diabetes the patient must avoid all forms of starch or sugar, and the food containing them; but should live on other abundant nutritious food. Fat meat, fish, oysters, eggs, milk and soups thickened with finely powdered bran, but no *bread, potatoes, grapes, pears, berries, or nuts* or other sweet, rich fruits. As a substitute for bread, bran ground fine and mixed with eggs, and a little butter, and hard baked, may be used. The thirst may be gratified with water, which rather benefits than otherwise. The patient should also take *Humphreys' Special Diet—quite specific for Diabetes*. Price, \$2.00 per bottle; to be had on application. This treatment has been successful in many, even *old incurable* cases, and has proved a God send to hundreds. Full directions with the Special Specific. The patient may drink freely of *skin milk*.

For Scanty, Discolored or Painful Urination, six pills of *Specific No. Thirty*, three times per day is effectual.

Urinary Incontinence is quite common in persons of advanced age, and in childhood. It consists of frequent desire to pass water, and often an inability to retain it beyond a short period. It may arise from catarrh of the bladder, irritability of the organs, disease, or an atonic condition.

It is cured by taking *Specific No. Thirty*, six pellets four times per day. In some cases, the *No. Twenty-Seven*. We have known the medicine to cure obstinate cases of months' and even years' standing.

For Obstinate Constitutional Cases of Incontinence of Urine in children or adults, send for *Special Prescription No. Thirty*, for *Example* mentioned above. Price for two large bottles, one of powder and one of pellets, \$2.50.

Dropsey. It should be remembered that *Dropsey* is an accumulation of fluid within some cavity or portion of the system, is itself less a disease than the result of some morbid process or disease which has preceded it. Hence the cure of the dropsey must depend upon the curability of the original morbid process from which the fluid results. In many instances, however, the increased action of the skin and kidneys, continued for some days, results in carrying off the fluid, thus removing the system of a burden, and better enabling us to apply medicines to the cure of the original difficulty.

In cases of dropsey, whether of the chest, heart, abdomen or extremities, take six pellets of

Specific No. Twenty-Five, four or even six times per day, according to the urgency of the case. The pellets act best dissolved in water.

Eat fresh, relaxing food, and live in a mild, dry atmosphere, using no other medicine.

FEMALE DISORDERS.

The comfort and happiness of women depends upon the healthy performance of the functions incident to her peculiar system. No considerable derangement in these functions can exist for a time without drawing the entire life into sympathetic suffering. While these derangements are so important, and exercise so grave an influence over the health and happiness of the sex, yet their nature is such as to exclude them, to a great extent, from observation, and often the sufferer groans on for years, the victim of pain and weakness known only to herself.

By the use of HUMPHREYS' *Homeopathic Specifics* the diseases connected with the female system may all be promptly averted or controlled. Thousands of mothers and families have used them for thirty years, and have always found in them comfort and relief.

Menstruation.—The first menses usually appear at about the fifteenth year—in warm climates earlier, and in colder, later. It is also subject to variation, depending upon the general health, vigor and development of the person. For a year or two it may be scanty, and not un-

frequently subject to some irregularities, which, however, need not excite apprehension. In healthy women it should appear every twenty-eight days, and flow four or five days, varying again according to the constitution of the person. About the forty-fifth year of life, it generally ceases, accompanied often with various disturbances of the system. This cessation of period is termed the *change of life*.

Tardy Menses.—When menstruation in young girls does not come on at the usual time, it is not wise to hasten to a medicine calculated to produce it. So long as the general health remains good, do nothing to promote this secretion, beyond attention to proper clothing, exercise and diet. The clothing should be warm, and changed to suit the temperature and season, and a wholesome, generous diet should be adopted, avoiding spices, coffee and high seasoned food. This will generally be sufficient. Should, however, there be symptoms of its approach, such as flushes of heat, frequent fullness of the head, heaviness in the abdomen and about the loins, six pellets of *Specific No. Eleven*, night and morning, will usually, in due time, produce the result.

Scanty Menses.—If the menses become *scanty, pale or watery in color*, or habitually, or even occasionally delay their appearance beyond the proper time, forming what is properly termed scanty or delayed menses, six pellets of *Specific No. Eleven*, taken night and morning, will soon induce the desired result.

Suppressed Menses.—Sometimes in regularly menstruating females the discharge becomes suppressed from exposure to cold, especially to damp cold, during the flow, or just as it is about to commence. The flow may either cease suddenly, or it may not come on at all at the next period, or it may come on attended with scanty, irregular discharge, or with severe pain and distress. In case of *suppression, after it has commenced*, dissolve twelve pellets of *Specific No. Eleven* in six spoonfuls of water, of which take one spoonful every two hours, and bathe the feet in warm water. If not effective, prepare and take another portion, or even several, in like manner.

When the menses do not appear at the proper time, take six pellets of *Specific No. Eleven*, night and morning, and bathe the feet in warm water fifteen or twenty minutes, for two or three nights in succession. A few doses will usually be found successful.

Painful Menstruation.—Many females suffer an untold amount of *pain* at every return of the menstrual period; not only bearing down, but cuttings, gripings, colic, cramps, and in some cases even convulsions, attend every access of the period, and cause her to dread every menstruation. Often the sufferings of one period are hardly over before another comes on.

Such cases are often found in connection with scanty, retarded or irregular periods; and again, with regular or too abundant discharge, the feature being excessively violent pain, pressure,

bearing down, and even cramps and convulsions, which attend every return of the monthly period.

Treatment.—*During the Interval* between the periods, take every night six pellets of *Specific No. Eleven*. If pain comes on, take six pellets of *Specific No. Thirty-One*, every hour, and continue their use until relieved. A few doses generally answer perfectly. Perseverance in this course, using the *No. Eleven* between the periods, and the *No. Thirty-One* at the time, for some months, will not fail to cure.

Feetling in Cyema.—*Summer.*—*Intericta* take six pellets of *Specific No. Thirty-One*, every hour until relieved, and then one dose each night to prevent a return.

The Yellow and Jaundice.—Intericta, take six pellets of *Specific No. Thirty-One*, morning and night. These are necessary in such a case, to combat the morbid action, and may demand the use of *Special Prescription No. Fourteen*.

Headache in Epilepsy.—*Intericta* and *Intericta* as during the monthly period, will be promptly relieved by the *Specific No. Eleven*, taking six pellets every hour.

Too Profuse Menstruation.—In women subject to the white and abundant discharge, a similar relaxed condition of the system, the menses may be too profuse, as during the interval after a cessation of menstruation of several days, and flowing from day to day there. Sometimes the secretion is solely Catamenial, and then comes on very profuse, causing great prostration, debility, and

debility, from which the patient has scarcely time to recover before a new attack.

Women subject to this difficulty should abstain from coffee, wine or other stimulants. During the interval between the periods, take six pellets of *Specific No. Twelve* every night on retiring, and the same of the *No. Ten* each morning.

After the menstrual discharge has continued a day or two, commence by taking six pellets of *Specific No. Twelve*, morning and night, and *Specific No. Ten*, noon and afternoon, until the flow ceases. If the discharge is very profuse from the first, the medicine may be commenced the first day, and the *Specific No. Twelve* may be alternated with the *No. Ten*, six pellets every three hours. When the discharge lingers for several days, six pellets of the *No. Ten* at night generally cuts it short.

In case there should be at any time an excessive flow amounting to hemorrhage, from whatever cause, twelve pellets of *Specific No. Twelve* should be dissolved in six spoonfuls of water, and one spoonful should be taken every hour, until the urgent symptoms are warded off, when the medicine may be administered at longer intervals. Of course the patient must remain quiet, and abstain from hot drinks, stimulants or any excitement at such times.

Leucorrhœa, or Whites.—Few affections of females are more common than this. It consists of a discharge of mucus from the genital organs of the female, variously colored, and of different

degrees of consistency. It is most commonly yellowish or white, sometimes reddish, mostly mild, yet sometimes acrid and excoriating. It is usually most profuse immediately before and after the menstrual period, and may continue during the entire menstruating life of the female, and is sometimes known even in young girls. Sometimes the discharge is scant and only trifling, while at others it is copious, exhausting the system, and bringing in its train other evils even more distressing than itself.

Those subject to this disease should carefully guard their feet and abdomen from sudden changes or extreme cold, take moderate exercise in the open air, avoid coffee and exciting drinks or spices, or highly seasoned food, and take six pellets of *Specific No. Twelve*, eight and morning, and the same of *No. Ten* before dinner and before supper. The continued use of these Specifics, with attention to the above simple directions, will always afford relief and an ultimate cure.

If *Leucorrhœa* exists with too scanty menses, or if leucorrhœa instead of the monthly menses occurs, *Specific No. Eleven* should be used instead of the *No. Twelve*, six pellets four times per day.

Prolapsus Uteri Bearing Down. This is also a very common complaint among women, affecting in some degree a considerable proportion of the sex. Sometimes it is only a trivial annoyance coming on from severe fatigue or over-exertion, and soon passing off from rest

and lying down. At others, it is a constant and chronic affection, forbidding any considerable effort, and sometimes confining the subject for weeks or months to her room or couch. The prolapsus may exist in various degrees; sometimes only a slight displacement from the natural position of the womb, and at others it may descend low down.

It is usually attended with a feeling of weight and heaviness in the lower abdomen, lameness in the back or across the loins, and a sensation as if everything would fall out when standing. There is often a sensation of emptiness or faintness at the pit of the stomach, and sometimes difficulty in passing the water or stool.

When the prolapsus exists to a serious extent, or can be readily reached, the patient should recline with the hips elevated and the womb should be replaced by gentle pressure. Dissolve also twelve pellets of *Specific No. Twelve* in six spoonfuls of water, of which take one spoonful every two hours. If the displacement is less considerable, nothing need be done farther than to rest and take six pellets of *Specific No. Twelve*, morning and afternoon, and of *No. Ten* at noon and at night. This course, persevered in for a few weeks, avoiding fatigue and overwork on the feet, will often relieve even obstinate cases. There may be cases of prolapsus which, from neglect, etc., require the use of supporters or mechanical appliances, but these should only be called in as a last resort.

Vomiting and Morning Sickness in pregnant females is often relieved by taking six pellets of *Specific No. Ten*, morning and night. But the better remedy for vomiting, morning sickness, heartburn, and similar sickness in pregnant females, is *Specific No. Twenty-Nine*. Six pellets morning, noon and night rarely fails to offer relief.

Change of Life. The cessation of the menses, which usually occurs at from forty to forty-five years of age, is frequently attended with disturbances of the system, such as flushes of heat, nervousness, pateness and debility, irregularities in the monthly flow, either too little, too profuse or colic discharge. Palpitations and throbbings of the heart are very common, and in many cases disease of the heart, degeneration of some part, or other serious disorder, dates from this period. Few ladies pass this crisis exempt from these or similar affections, while to many they are not only very trying, but even alarming.

Treatment.—For the sufferings incident to this period, the *Specific No. Thirty-Two* is a cure. It should be taken, six pellets night and morning, and it may be continued as occasion requires, until this entire period is safely passed.



MEDICINES BY MAIL OR EXPRESS.

Dr. Humphreys' Family Specifics, Veterinary Specifics and Witch Hazel Oil, from a SINGLE VIAL to a FULL CASE or BOX, sent prepaid to any address, on receipt of price.

Send Post Office Money Order, Express Money Order, or Register the Letter for safety.

Prices of Single Vials. Small, No. 1 to 15, 25 Cents, Large, 50 Cents, 1 Ounce \$1.00, Except Nos. 28, 32 and 33 which are, \$1. and \$2.

PRACTICAL HINTS IN USING Humphreys' Specifics.

Specific No. ONE. Cures Fevers, Congestions, and Inflammations; Heat, Pain, Restlessness; Inflamed Throat, and Congestion to the Head or leading Inflammation of the Eye from Inflammation of the Throat, or Quinsy, pneumonia, or Inflammation with No. THREE cures all Pneumonia, or Inflammation of the Chest, or Lung, Inflammation of the Pleura, Pleurisy, Inflammation of the Liver and all the Bowels; Fevers of Cholera, Scarlet Fever, Measles, Mumps, Yellow Fever, Inflammation of the Stomach, Inflammation of the Bladder, or Urinary Inflammation, Inflammation of the Uterus, or Female Fever, Sore Throat, Effects of being Overheated, Violent Headache, Coughs; Sleeplessness from Fever or Inflammation of the Head.

SPECIFIC No. ONE is Our true Medical Treasure. Indispensable in every family, often needed and always promptly curative. If chilled or cold, sore, tired, or lame, take No. ONE. The first stage of any inflammatory disease, or fever, Measles, Scarlet Fever, Croup, Mumps, Cough or Cold, or Sore Throat calls for No. ONE.

It Dissipates Congestion, Breaks the Chill, Reduces Fever and so cures disease. It CANNOT BE TOO HIGHLY PRAISED OR TOO URGENTLY RECOMMENDED. IT PAYS ITS COST A THOUSANDFOLD.

Specific No. TWO—Cures Worm Diseases, Worm Fevers, Worm Colic; Itching of the Anus, or Wetting the Bed from Worms; Irregular or Capricious Appetite, or Emaciation from Worms; Long Round Worms; Pin Worms; Tape Worm. Every morbid condition resulting from worms is radically cured by this Specific.

Specific No. THREE—Cures Sleeplessness, Colic and Crying of Infants or Young Children, such as Colic, Crying and Restlessness; Irritation and Congestion from Teething; Slow Growth and Feebleness of Infants; Irregular Teething; Diarrhea of Infants; Retarded or Slow Learning to Walk; Enlargement of the Joints and Bending of the Long Bones; Sleeplessness of Adults from Nervousness. No. THREE takes the place of all CORDIALS, DROPS, Anodynes and Syrups, curing not only the Wakefulness, Colic and Crying, but by adding the digestion, giving Strength and Vigor, and so making healthy children, instead of injuring them with opiates or drugs.

Specific No. FOUR—Cures Diarrhea or Loose Bowels, in Children or Adults; Summer Complaint or Cholera Infantum; Thin, Loose, Yellowish, Greenish or Watery Stools; Diarrhea from Indigestible Food; Diarrhea from the use of Fruit; Diarrhea from Traveling or Change of Water; Painful Diarrhea, Chronic Diarrhea or Loose Bowels; Diarrhea of Consumptives. Always Reliable for Diarrhea or Loose Bowels; with No. FIVE it cures the worst cases of Chronic Diarrhea.

Specific No. FIVE Cures Dysentery, Colic, Painful or Bloody Diarrhea; Fall Dysentery, or Dysentery (BILLY) Dysent. Scurvy Mucous; Greenish and Bloody Stools attended with violent Cramp or Spasms and Tenesmus; Painful Diarrhea; Colic (Evans's Colic, Hemorrhoidal) Colic. For the cure of Painful Diarrhea and DYSENTERY it has no equal, acting mildly, promptly, safely. For Colic it has no equal.

Specific No. SIX Cures Cholera Morbus; Nausea and Vomiting; Acute Cholera; Sickness at the Stomach; Vomiting with Diarrhea; Tain, Lame, Green or Yellow Stools, with Vomiting, cramps, Fatigue, Pale Lips and Cheeks; Morning Sickness. The preparation with which No. Six cures Cholera Morbus is something wonderful.

CHOLERA CASE for Families or Travelers, to use during attacks with a stock of directions.

Price, \$2.00, \$3.00 or \$5.00, according to size.

Specific No. SEVEN Cures Coughs, Colds, Bronchitis, Hoarseness, Sore Throats and Indurciza; Cough with Pain and tension in the side or breast, chest, with Weakness or Emaciation, or from frequent Consumption, cough with Morning Chill and Evening fever; Cough with little or no action in the throat and burning, Mucous, or form of Action in (Chronic) Cough, Croup, Old Croup, or Chronic Cough, Indurciza of the Lungs or Croup given after or in attention with No. ONE;

Chronic Bronchitis or Laryngitis, with Cough, Hoarseness, Loss of Voice, or Weak Voice, Scanty Expectoration and Emaciation. Almost every form of pulmonary disease is reached by it. Thousands are yearly saved by its use. Always reliable, always effective. Often used in alternation with No. ONE, especially if there is heat or fever.

Special Prescription No. Seven, for Chronic Lung Diseases or Threatened Consumption. Cures Chronic Cough and Lung Disease; Bronchitis, Weakness and Debility; Emaciation; Pain in the Side or Chest, Pulmonary Weakness. TWO EXTRA LARGE VIALS, \$2.00.

Specific No. EIGHT—Cures Neuralgia, Toothache, Faceache, Nervous Pains, Toothache in Sound Teeth, or in Old Decayed Teeth; Toothache in Children; Faceache; Tic Douloureux; Swelled Face; Darting, Sharp or Stinging Pains; Neuralgic Pains; Old Neuralgies.

Specific No. NINE --Cures Headaches, Vertigo, Sick Headaches, Congestion to the Head; Bilious Headaches; Nervous Headaches and Sick Headaches, with Nausea and Vomiting; Congestive Headaches, also No. ONE; Vertigo or Dizziness; Swimming of the Head; Heat, Heaviness or Fulness of the Head, also No. ONE. Often used in alternation with No. ONE, for Congestive Headaches; or with No. TEN, for Bilious Headaches,

Specific No. TEN—Cures **Dyspepsia, Indigestion, Constipation, Bilious Complaints, Malaria; Weak Stomach, Rising of Food; Water Brash; Coated Tongue, Loss of Appetite, Loathing of Food, Constipation, or Costive Bowels; Scanty, Knotty, Small, Hard, Dry or Insufficient Stools; Billousness, Yellow or Earthy Complexion; Bad Taste in the Mouth, No Appetite, Browsiness, and Costive Bowels, Acid Stomach, Everything eaten becomes Sour, and Chronic Dyspepsia, when Everything disagrees, Headache from Indigestion, Old Chronic Liver Complaint, with Indigestion; Enlargement of the Liver, Chronic Constipation and Piles, Flatulences and Bloating of the Abdomen after eating; Offensive Breath.** No. Ten is a balm for old men or women, invigorating the feeble Kidneys and sluggish Liver, improving Strength, Manhood and Energy; a perfect Anti-Bilious and Anti-Malarial Protective and Cure. As a remedy for poor appetite, indigestion, weak stomach and constipation, it has cured thousands.

Specific No. ELEVEN Cures **Female Irregularities; Delaying, Scanty or Painful Menses; Delaying or too Early or Late appearing Menstruation, Suppressed or Obstructed Menses, from cold, fear, weakness or morbid causes; too Scanty, too Early, or too Close Menses; Green Stools, or Chlorosis, Headache or Cuts during the Menses; Interrupting or Irregular Menstruation, with Scanty or Delayed Menses.** And the above conditions, repeated No. Eleven is undoubtedly the safest and most effective remedy known. A thousand times better, safer and more efficient than all tons, doses, pills or forcing medicines so often resorted to.

Specific No. TWELVE—Cures Whites, or Leucorrhea; Too Profuse Menses and Prolapsus Uteri; Yellowish, thick, offensive or corrosive discharge; Menses too soon and too long continued; too profuse and debilitating Menses; Constant Bearing Down; Old Debilitating Leucorrhea. Thousands are made happy from the relief afforded by Specifics Nos. ELEVEN and TWELVE.

Specific No. THIRTEEN—Cures Croup; Hoarse Cough, Oppressed Breathing; Hoarse, Croupy Cough; Inflammatory Croup; Spasmodic, and even Membranous Croup; Croup with Quick Pulse, Hot Skin, Difficult, Labored Breathing and Hoarse Cough; Laryngitis, with Hoarseness, Pain in the Throat, Painful Cough and scanty Expectoration; Chronic Hoarseness, or Loss of Voice. As a cure and preventive of Croup, this Specific has no equal—prompt, mild, safe and effective. A thousand times better, more safe and effective than hive syrup, cough mixture or hot teas, so often resorted to.

Specific No. FOURTEEN—Cures Eruptions, Eczema, Salt Rheum, Acne, Ulcers; Erysipelas, with Hot, Smooth, Swollen skin or Blisters; Salt Rheum, or Rough, Scaly, Chapped Eruption on the Hands or other parts; Pimples or Blotches on the Face; Nettle Rash, like Stings of Insects; Scald Head; Barber's Itch; Old Ulcers. For clearing the complexion of Blotches and Pimples, and giving a clear, healthy bloom, No. FOURTEEN and No. THIRTY FIVE are invaluable. Almost every form of eruptive disease is cured by Specific No. FOURTEEN.

Special Prescription No. Fourteen, for Chronic Eruptions; Eczema, Tetter, Salt Rheum, Scald Head, Itching, Invererate Herpes, Impetigo, Pimples in the Face; Chaps; Unhealthy Skin. Package containing Two Extra Large Vials; price, \$2.00.

Specific No. FIFTEEN—Cures Rheumatism; Lameness, Stiffness and Soreness; Arterio Scleroticism with Painful Swelling of the part, chronic inflammation with lameness, stiffness and soreness of the part, Indolent Rheumatism with pain in the Hip, Knee or Leg of the affected side. Rubbing in part across the Thigh or Back, Old Rheumatism, Painful Lameness. In alternation with No. Ten, for the acute form, and in alternation with No. Ten, for Chronic Rheumatism, Specific No. Fifteen has no equal—always reliable, almost infallible.

Specific No. SIXTEEN—Cures Fever and Ague, Dumb Ague, Malaria, Intermitting Fever, Malarial Fevers; Effects of Malaria; Old suppressed Agues, Yellow Cakes, Enlarged Liver or Spleen, or other effects of badly treated Agues, and of the quinine, Chai-na-quine, Arsene or other drugs taken to cure it. Specific No. SIXTEEN is the best remedy and cure for these old drugged and mis-managed cases. The best protective and cure for Malaria, in whatever form, alone or in alternation with No. Ten. Hundreds of families living in Malarious regions say they are exempt from Malaria and Ague if they habitually use Specific No. SIXTEEN.

Specific No. SEVENTEEN—Cures Piles or Hemorrhoids, Blind or Bleeding, Internal or External, with Fulness, Itching and Burning; Inflamed, Hot, Burning, Sore Tumors around the Rectum; Falling of the Rectum; Itching of the Anus. The cure of Inveterate Chronic Piles is always effected by the use of Specifics No. SEVENTEEN and No. TEN, in alternation.

Specific No. EIGHTEEN—Cures Ophthalmomy or Sore Eyes; Weak Sight; Old Chronic, Sore, Inflamed or Weak Eyes, with Heat, Redness, Scalding Tears, and Dread of Light; Painful, Red, Inflamed Eyelids, with constant Secretion of Mucus; Weak, Dim, Falling or Blurred Sight; Acute Inflamed Eyes or Eyelids. Invaluable for Premature Weakness or Failing of Sight, from over-taxing the eyes. Also for Easy Fatigue of the eyes, from reading or effort; Intolerance of Light.

Specific No. NINETEEN—Cures Catarrh, Dry or Flowing, Recent or Chronic; Influenza; Mucus Discharges from the Nose; Acute Catarrh, with flow of Scalding Mucus, Tears and Sneezing; Old Chronic Catarrhs, with profuse discharge of Thick, sometimes Offensive Mucus. Obstructed Nose, and often Loss of Taste or Smell; Chronic Cold in the Head; Catarrh of Children; Offensive Breath with Catarrh; Cough, with Profuse Discharge from the Nose, and Copious Expectoration; Loose Catarrhal Cough in Children; Soreness, or Dry Crusts forming in the Nose, with Dry or Moist Catarrh. The habitual use of Specific No. NINETEEN has cured Thousands of Catarrhs.

Special Prescription No. Nineteen, for Chronic Nasal Catarrh; Ozena; and even the worst Discharges from the Nose in the Nasal Thrush. Package containing TWO EXTRA LARGE VIALS, \$2.00.

For HAY or ROSE CATARRH, a special case of THREE LARGE VIALS, in third, with full directions. It has proven effectual not only in arresting the course of Hay Catarrh, but also in destroying the predisposition to it, and so preventing a return. Price, \$3.00.

Specific No. TWENTY—Cures Whooping-Cough; Irritating, Spasmodic and Convulsive Coughs. Given early, this Specific arrests the development of the Cough; and given at any stage, always the irritation, moderates the cough and wards off the disease. Specific No. Twenty may be regarded as absolutely infallible for Whooping-Cough. Patients never tire of telling of its magical effect in soothing, relieving and curing this often most troublesome disease. Hundreds of physicians constantly use it in their practice.

Specific No. TWENTY-ONE—Cures Asthma, Difficult Breathing, Cough and Expectoration; and Chronic Asthma, with attacks of Oppressed, Laborious, Difficult Breathing, Cough and Expectoration. Dry Asthma, Humid Asthma, Stridulous or Whistling Expiration. This Specific has proved a constant and tried remedy to hundreds of asthmatics, continuously improving their condition, and often making an entire cure. Every form of asthma is controlled by it.

Specific No. TWENTY-TWO — Cures Ear Discharges; Earache; Diseases of the Ear and Hearing; Noise in the Head, Deafness; Discharges from the Ear, in consequence of Measles, Scarlatina or other diseases; Inflammation of the Internal Ear; Old Offensive Discharges from the Ear, with Hardness of Hearing; Noises, Buzzing, Ringing or Piping in the Ears; Whitlow or Panaris, or Run Rounds on the finger; White Swelling of the Knee or Hip. Specific No. TWENTY-TWO is invaluable for Enlarged Glands in the Neck of children; Scrofulous Ulcers in the Neck; Old Intractable Ulcers or Sores; and for Wetting the Bed, in Weakly, Feeble or Scrofulous children, in connection with No. THIRTY; Slow Growth, in consequence of Deficient Bony Deposit, and consequent Weakness of children.

Specific No. TWENTY-THREE — Cures Scrofula; Enlarged Glands or Tonsils; Old Ulcers; Diseases of Scrofulous origin; Enlarged or Inflamed Glands under the Jaw, around the Neck or under the Arm pits; Itching and Burning of the Legs; Old Inveterate Ulcers and Eruptions; Cold Swellings. It is also effective for **Habitual Offensive Breath**, and **Offensive Perspiration of the Feet**; Carbuncles or Boils; Inflammation at the root of the nail, and Whitlow or Felon; Old Scaly Eruption on the Legs.

Special Prescription for the Cure of Goitre, Derbyshire Neck or Enlarged Glands of the Throat. Has been found very successful, even in old advanced cases. Taken morning and night. Price per large Vial, in Powder, \$1.00-

Specific No. TWENTY-FOUR—Cures General Debility; Physical and Nervous Weakness; Want of strength, Lassitude, Tired, weary feeling, even on waking. Early Fatigue. Sweat on going to sleep. Debility, the result of severe illness or some drain upon the system. Want of Tone or iron in the blood. An invaluable remedy for persons under severe mental or physical strain, or over work, or the debility resulting from the keeping them up and preventing a general break down. Hundreds have used it with complete success.

Specific No. TWENTY-FIVE—Cures Dropsy, Fluid Accumulations with Scanty Secretions; Anasarca or General Dropsy, Dropsy of the Abdomen, Dropsy of the Chest, Heart or Head, Dropsy with Tremor, Dropsy Swelling and Scanty Secretions. Dropsical Swelling of the Feet or Legs. A most inviolable specific for all these conditions. Quite sure to increase the flow of urine, and so relieve dropsical accumulations.

Specific No. TWENTY-SIX—Cures Sea-Sickness; and Sickness from Riding in Carriage or on Railroads; Sickness from Carriage or Car Riding, Nausea and Vomiting. Prevention of Sea-Sickness. Has in the course of cases rendered a Sea-Voyage Free from Sea-Sickness, even with very sensitive subjects. Often cures Lumbago or pains in the loins and back, and also the weak paralytic feeling in the loins and back, and even paralysis of the lower extremities, in patients able only with difficulty to drag one leg after the other.

Specific No. TWENTY-SEVEN—Cures Kidney Diseases; Bright's Kidney; Gravel; Painful, Retarded, Scanty Urination; Gravel and Renal Calculi; Catarrh of the Bladder, in alternation with No. THIRTY; Sand and Unhealthy Deposits in the Urine; Thick, Turbid, Frothy Urine, filled with mucus and brick-dust deposits; Too Frequent Discharge of Urine; Nightly Enuresis; Pain in the region of the Kidneys and Bladder; Enlarged Prostate; Difficult, Slow, Interrupted and Insufficient Discharge in old people; Bloody Urine, or mixed with blood. Specific No. TWENTY-SEVEN has perfect control over the kidney secretions, and either alone, or in some cases with No. THIRTY, has relieved and restored thousands. Hundreds of old people have been saved from years of suffering and been made happy by it. It cannot be too highly praised or safely trusted. Compare also No. THIRTY.

Special Prescription No. TWENTY-SEVEN, for Urinary and Kidney Diseases; Catarrh of the Bladder; Degeneration and Bright's Disease; Uræmia; Enlarged Prostate. Package containing Two EXTRA LARGE VIALS, \$2.00.

For DIABETES, a Special Prescription, in fluid, with directions. This disease is known by excessive discharge of pale, heavy and sugary urine; debility; progressive emaciation; red, fissured tongue and enlarged papilla; intense thirst and frequent urination; voracious appetite and sinking of the stomach; bowels usually costive, and stools hard and dry; harsh and dry skin. This Specific has been particularly successful, and has restored to health and comfort many old obstinate cases. Price, \$2.00. Sent Free on receipt of price.

Specific No. TWENTY-EIGHT—Cures Nervous Debility; Seminal Weakness; Deficient Energy; Loss of Nervous Power and General Tonic of the System; Irritability and Mental Gloom, or Despondency; Weakness from Loss of Vital Fluids; Frequent Involuntary Nocturnal Emissions, often with lascivious dreams; Seminal Losses at night, or during Languor or Depression; Prostration; Mental Weakness or other effects of Early Indulgence, overwork or Mental Strain; Disordered Digestion; enfeebled Powers; Pollutions from relaxed organs; Debility, resulting from excesses. It is specific for all conditions from exhausted vital powers, Loss of vital fluids, excessive drain and mental overwork. No popular remedy, or other treatment, has been so efficient, so safe or so economical as Specific No. TWENTY-EIGHT. It has cured thousands, restoring more nervous and prostrated weaks to renewed energy, vigor and activity, and never fails to render good service.

Special Prescription Package for Nervous Debility, Seminal Weakness, Want of Energy or Vital Force. Indispensable for old or nervous men. Put up in package of two vials of pellets and one double-size box of powder, \$4.00. Single double size vial of powder, \$2.00.

Specific No. TWENTY-NINE Cures Sore Mouth or Canker; Ulcerated Lips; Sore Mouths or Gums from the action of Emetics; Numbness Sore Mouth; Burning Stomach of Expectant Women; Inflammation of Gums or Throat of the Mouth of Infants; Sore Mouth; Obstinate Intermitting Fevers. Always satisfactory.

Specific No. THIRTY - Cures Diseases of the Urinary Organs; Urinary Incontinence; Frequent, Painful or Scalding Urination; Inability to Retain the Urine; Catarrh of the Bladder, in alternation with No. TWENTY SEVEN; Frequent Scalding Urination, with Mucous Discharge; Urine loaded with Mucus; Nightly Wetting the-Bed in children; Nocturnal Urinary Incontinence. Specific No. THIRTY is to the bladder and passages what No. TWENTY SEVEN is to the kidneys - hence so often used in connection. It has rendered hundreds of households happy by curing Nocturnal Enuresis or nightly Wetting-the-Bed. There is scarcely a form of Urinary or Kidney Disease which is not controlled by Nos. TWENTY SEVEN and THIRTY.

Special Prescription No. Thirty, for Disease of the Bladder and Urethra; Too Frequent, Burning or Scalding; Inability to retain at night or by day; Chronic Urinal Debility, Constitutional or from Infirmary. Package containing Two EXTRA LARGE VIALS, \$2.00.

Specific No. THIRTY-ONE - Cures Painful Menstruation; Hysteria, Spasms, Pruritis; Menstruation, with Painful Bearing Down, Menses, with Painful, Pressive, Cutting, Gripping, and even Spasms; Too Profuse Menses, with Pain and Distress; Itching and Burning irritation of the Organs; Laughing, Crying, Hysterical Movements, or Cramps at the monthly period; Too Early and Too Long-continued Menses; Leucorrhea, like white of eggs. Nos. THIRTY ONE and ELEVEN cure the worst cases of Painful Menses. For Inflammation of the Urethra or Gonorrhea, see ANCHOR SPECIFIC, in fluid.

Specific No. THIRTY-TWO—Cures Heart Disease, Palpitations, Flushes; Irregularities and Morbid Conditions, occurring at the Critical Age of Women, at Change of Life; Phases of Fever; Irregular Menstrues, Choking or Tossing, Toss Opplines and Toss Long, with great prostration, nervous prostration at any time of life, Palpitation of the Heart, Trembling or Tremulousness, Flushing of the Face, Violent Tossing or Irritating beating of the Heart, Foully Spasms through the contracted Heart, General Flashes of the Heart, Irritation of the Heart, Old Chronic Palpitations of the Heart. Reliable and Invaluable.

Specific No. THIRTY-THREE—Cures Epilepsy, Cramps, Spasms, Convulsions; Convulsions of children, convulsions with loss of consciousness, Spasms or Convulsions of children from the slightest cause, Convulsions of children from Teething, Infant or Mental Excitement, Cramps or Spasms of single limbs, St. Vitus' Dance, with Twitching, Jerking or Strange Motions of single features, muscles or parts; Distorted spasms or Hysterical Base Symptoms of single parts. The early use of Specific No. THIRTY-THREE has averted the development of Epilepsy in children, and has also cured many cases of Epilepsy when it appeared confirmed. For Chorea or St. Vitus' Dance, it is infallible.

Special Prescription No. Thirty-Three, for Epilepsy, Falling Sickness and St. Vitus' Dance; two Vials of Powder and Pellets—especially indicated and invaluable for old or chronic cases—price, \$2.00.

Specific No. THIRTY-FOUR—Cures Diphtheria; Quinsy and Ulcerated Sore Throat; Diphtheritic Sore Throat; Malignant Sore Throat; Tonsillitis; Ulcerated or Enlarged Tonsils, Painful, Difficult, Impeded Deglutition; Chronic Enlargement and Induration of the Tonsils; Old Sores, and Ulcerated Throats of Syphilitic Origin As a preventive and cure for Diphtheria and Quinsy and Ulcerated Sore Throat, it is entirely reliable.

Specific No. THIRTY-FIVE—Cures Chronic Congestions; Headaches and Eruptions; Habitual Headaches; Heat and Fulness of the Head; Headaches of children; Slow Growth and Tardy Learning to Walk of children; Difficult Teething of Children; Scurf and Eruption on the Head of young children; Sleeplessness, Retarded Sleep and Restlessness; Liability to Take Cold from Slight Exposure; Bearing Down, or Prolapsus Uteri.

Special Prescription No. Thirty-Six, for Diseases of the Bones; Old Ulcers; Enlarged, Inflamed or Suppurated Glands; Ear Discharges; Old Eruptions; Chapped Hands; Offensive Sweat, in powder; price, \$2.00.

When Six bottles or packages are ordered at one time, we charge for the price of Five only.

Advantages of Specific Family Practice.

I should consider myself wanting as an advocate of the truth, did I fail to urge upon all, in a candid and legitimate way, the advantages of the mode of doing medicines. An experience in medical practice of over forty years, and of some thirty years in this peculiar method, and a very wide observation of the general practice of the day, leaves me no alternative but to urge its general adoption; and thus I must say, entirely as to truth, my personal or professional interest in the result.

I have every day reason to deplore the impotence of the method in constant use in the treatment of disease, both in the hands of old school physicians and in the use of popular remedies. They so often fail to cure where failure is inexcusable, they so often fill the system with drugs, from which patients suffer ever after, that I can but urge, in the interest of our common humanity, the use of a *milder, more efficient and more humane* system. Possibly the one herein outlined may not meet every want—failure ultimately entails success even more than success—but the route herein indicated and the system here presented is incomparably in advance, in point of *economy, safety and efficiency*, to anything ever before offered the people. This opinion is confirmed by the testimony of thousands who have been benefited by their use.

From the Thousands of Unsolicited Testimonials, we print, as space permits, the following specimens:

WINNEMUCCA, Nev., Dec. 15, 1885.

The Specifics have worked wonders in my family, and I would not be without the family case for \$100 in gold coin.

WM. PERKINS.

UPPER NORWOOD, LONDON, Eng., Oct. 21, 1886.

I am glad to tell you that the Specific No. Thirty has made a perfect cure of a case we were afraid was hopeless, and we send you many thanks.

ARTHUR C. STAFFORD.

OAKLAND, Cal., Jan. 2, 1886.

We have used your Specifics in our family for several years, which has saved us many a doctor's bill.

P. H. MOODY.

WARWICK, N. Y., Nov. 16, 1885.

Your Specific No. Twenty does all you claim, as it cured my little girl of that dread Whooping Cough, and the No. Three cure for Sleeplessness was perfect in its operation.

C. M. BAKER.

MINNEAPOLIS, Minn., Mch. 20, 1886.

One of our customers, who was a victim of Dyspepsia and Billiousness, tried No. Ten a few days since, and is enthusiastic over the result.

CROSMAN & PLUMMER.

EAST NEW YORK, Feb. 15, 1886.

I have used your medicines for years, and have also been instrumental in selling hundreds of bottles around among my friends, recommending them very highly, knowing them to be just as good as represented.

MRS. HARIETT T. RICE.

ATLANTA, Ga., Nov. 14, 1885.

When you say "I have never enjoyed it" you strike me just where I live. My wife and myself have been suffering for months from a cold from which you have helped me—and I would like to renew it.

A. L. HARRIS, Manager
Southern Industrial Record.

ALBANY, Oregon, Nov. 25, 1885.

I was cured of a long-standing ACHILLES AND UNDER-
LING PAIN WITH THE OIL OF YOUR WHEELED.

WM. WIRT WHEELER.

BONAPARTE, Iowa, Dec. 7, 1885.

Please send me two bottles of No. THREE—upon as-
surance it is the best medicine the world has ever known
for rheumatism.

JAMES H. FOSTER.

PHILADELPHIA, Pa., Dec. 22, 1886.

For the past fifteen or twenty years I have used
your Spinalin, with great satisfaction and benefit of
back pain and having had occasion to call the ser-
vices of one did on a very few occasions.

W. H. H. BECK,
233 S. Fourth St.

AUSTIN, Texas, Apr. 26, 1885.

Since I commenced to use your Rheumatism OIL OF
Three Centages, we have had to doctor with us only—
in a family of eight.

JOHN W. STOKES.

ONTARIO, Cal., May 31, 1886.

Since receiving your medicine, I have been using your
Spinalin for back and leg pain with good results.
My poor mother with Rheumatism, she used herself
successfully, studying treated and following direc-
tions with good results. Accept my sincere thanks for
benefits received through you and be sure to call.

MRS. S. HALE.

NERVOUS DEBILITY

Is known by a weak, nervous, exhausted feeling; a lack of animation or energy, often with confused head, depressed mind, weak memory or with debilitating, involuntary discharges—the consequence of excesses, indiscretion or mental overwork. This condition finds a sovereign cure in

Humphreys' Specific No. Twenty-Eight.

It tones up the system, dispels the mental gloom and despondency, restores vitality, arrests the drain and rejuvenates the entire system. Perfectly harmless; been in use twenty years; has restored thousands, and is the always efficient and safe remedy. Its highest praise is that it is extensively imitated. It is especially efficient for the YOUNG and INDISCREET, and the OVERWORKED, OVERTAXED or CAREWORN in active or advanced life.

PRICE—\$1.00 per single Vial; or \$5.00 for a Package of Five Vials and a \$2.00 Vial of Powder, which is important in old or serious cases.

Sold by all Druggists, and sent, Post or Express paid, on receipt of price. Address:

HUMPHREYS' MEDICINE COMPANY,
Cor. William and John Streets,
NEW YORK.

HUMPHREYS' MENTOR, or Family Adviser

IN

HEALTH, HYGIENE AND MEDICINE.

This work has now been before the public twenty years and has everywhere received the highest commendation from the people and the press. It forms a book of 550 pages, handsomely bound in cloth. It contains a lengthy preface upon Life, Health and Disease, and the Method of Cure, together with a full discussion, and plain, simple directions for the diagnosis and treatment of ALL DISEASE OR CONDITIONS WHICH A FAMILY WOULD FIND IT PROFITABLE OR NECESSARY TO TREAT.

The great point of superiority of this work and of treatment over all others is the DIRECTNESS and SIMPLICITY of the REMEDY, leading to a greater positiveness and certainty in the curative results.

To the hundreds of thousands who have long used the AUTHOR'S SPECIFIC MEDICINE this work is invaluable.

Price \$1 00. Sent by mail to any address on receipt of price.



Trade Mark Registered.



HUMPHREYS' Marvel of Healing. WITCH HAZEL.

THIS PURE DISTILLATION OF THE WELL-KNOWN HERB HAMAMELIS, or Witch Hazel, is prepared with great care from rectified by Dr. Humphreys for more than TWENTY YEARS, and warranted superior to any Witch Hazel preparation sold.

See that our trade mark is on each bottle.
None other genuine.

THE MARVEL OF HEALING is the ready cure for all *Lacerations, Bruises, Contusions, Strains, Cuts or Incisions*. It soothes the pain, staunches the bleeding, arrests inflammation, reduces the swelling, removes discoloration and heals the wound like magic.

THE MARVEL OF HEALING is a prompt relief and rapid cure for *Burns, Scalds and Sunburns*—superior to every other remedy.

THE MARVEL OF HEALING is priceless for all *Bleedings or Hemorrhages, Nose Bleed, Bleeding Gums, Spitting of Blood, Bleeding Lungs or Stomach, or Bleeding Piles*.

THE MARVEL OF HEALING is the sure and unfailing cure for *Piles or Hemorrhoids*—always curing, never failing.

THE MARVEL OF HEALING is a prompt relief for *Toothache, Earache, Faceache, Swelled Face* and *Neuralgia*.

THE MARVEL OF HEALING is the ready and valuable resource for *Rheumatic Pain, Lameness, Soreness or Stiffness of Joints or Limbs*.

THE MARVEL OF HEALING is a grand remedy for *Quinsy, Sore Throat, Inflamed or Enlarged Tonsils*—always reliable, always efficient.

THE MARVEL OF HEALING is invaluable for the cure of *Gravel, Renal Calculi, Kidney Complaints, Strangury*, or other similar disorders.

THE MARVEL OF HEALING is a prompt cure for *Simple Diarrhea*, and has cured the most obstinate cases of *Chronic Diarrhea*.

THE MARVEL OF HEALING is invaluable as an injection for *Catarrhs, Leucorrhoeas* and other debilitating mucus discharges.

THE MARVEL OF HEALING is invaluable as a cure for *Ulcers, Old Sores, Boils, Fecuns, Corns* or *Bunions*, and *Tumors*.

THE MARVEL OF HEALING is invaluable for *Stable Use*, for *Sprains, Soreness, Breast or Harness Galls, Contusion, Laceration* or other injury.

THE MARVEL OF HEALING relieves like magic *Chilblains, Frosted Parts, Mosquito Bites* and *Stings of Insects*. Nothing like it.

SOLD BY DRUGGISTS AND DEALERS.

PRICE—6 oz., 20 cts.; Pints, 60 cts.; Quarts, \$1.00; Two-Quart Bottle, \$1.50.

HUMPHREYS' WITCH HAZEL OIL AND PILE OINTMENT.

THIS OINTMENT is the triumph of Scientific Medicine. Nothing has ever been produced at all to equal or compete with it as a curative and healing preparation. The virtues of the *Witch Hazel* have been long known and celebrated as a tonic and palliative. But when combined and applied in the form of an oil, its curative effects ARE MARVELLOUS. It has been used over many years, and is the prescription of one of the most renowned physicians of this day. IT ALWAYS AFFORDS RELIEF and ALWAYS GIVES SATISFACTION. FOR:

Piles, Fissures, Blind or Bleeding, External or Internal, and Itching or Bleeding of the Rectum. For two, or any of them, this OIL is invaluable. The relief is immediate. It has been used in thousands of cases with the most successful success. No one who has ever tried it will do without it.

Ulcerations, Eruptions, Cracks or Fissures of the skin or mucous are cured at once and kept quiet from a few simple applications of this oil. Even old Fistulas in ano have been cured by it.

Burns, Scalds, and Ulceration and Contraction from burns. The relief is instant, and the healing of the ulceration and softening of the contraction is wonderful. It has in repeated instances cured cases of contraction from burns pronounced incurable by the faculty.

Cancers, Malignant, Painful or Corroding Ulcers, Carbuncles and Boils are at once relieved of the darting, eating or corroding pains.

Old Sores, Indolent Ulcers and Fistulas are promptly healed up and cured. This Oil is the mildest and best possible dressing for them.

Torn, Lacerated or Cut Wounds or Injuries are promptly closed up and healed by this Oil in a manner approached by no other remedy.

Salt Rheum, Tetters, Scurfy Eruptions, Chapped Hands, Fever Blisters, Sore Lips, Corns and Bunions are promptly relieved and often cured like magic.

For **Corns and Bunions, or Sore and Lame Feet** this remedy affords instant relief, curing and rendering serviceable feet whose use under any other treatment was a painful burden and torment.

Scratches or Grease in Horses, Chafings, Saddle or Harness Galls, Lacerations, Cuts, Injuries, Broken Hoof or Quarter Crack are all cured by this **Witch Hazel Oil** in a manner unequalled.

For further Information see Witch Hazel Oil Book.

SOLD BY ALL DRUGGISTS

OR SENT, PREPAID, ON RECEIPT OF PRICE.

50c. and \$1.00 per Bottle.

HUMPHREYS'



VETERINARY SPECIFICS,

FOR THE CURE OF

Horses, Cattle, Sheep, Dogs, Hogs & Poultry.

MISERIES or Diseases which of DOMESTIC ANIMALS and POULTRY are EVERY YEAR, but for such remedies, becoming owners are not supplied with their remedies, and do not know how to treat them. Yet such ailments are cured by HUMPHREYS' SPECIFIC REMEDIES are used readily treated and cured that people. The greatest blessing of modern times for Domestic Animals is their treatment, which is by the system. That they are daily supplied in thousands of instances, is as true as that the people take an immense view with sewing machines, or send messages by telegraph.

ADVANTAGES

—OF—

Humphreys' Veterinary Specifics

OVER ANY OTHER SYSTEM

—OR—

MODE OF TREATMENT FOR STOCK.

I.—*Humphreys' Veterinary Specifics are not an experiment.* They have been in use among FARMERS, BREEDERS, LIVERY STABLE and TURF MEN, HORSE RAILROAD, EXPRESS, MINING and MANUFACTURING COMPANIES, MENAGERIES and HIPPODROMES, and others handling large numbers of horses and other stock with complete success for twenty-five years.

II.—*You have a Specific Remedy for any particular Disease or Complaint. For Colic, Cough, Founder, Heaves, Pneumonia, Indigestion, Disease of the Kidneys or Urinary Passages, Strains or Lameness, you have, in compact, portable form, the Specific to cure it. You know just what to do, and how to do it.*

III. - Their use is free from danger to the Animal. In the usual treatment, the medicines are either rank poisons or the most violent irritatives. It is a common experience, that, if the horse finally lives through the treatment, he is worthless from the effects of the medicines. Thousands of good horses are every year killed by drugs. In HUMPHREY'S *Simple* system you are absolutely free from all such danger.

IV. - They are simple. Being Specifics for particular diseases, you know at once what to give. You can scarcely make a mistake. Even if you do, you have only lost your time, and have not killed the horse. When using the common veterinary drugs, a mistake is often fatal. With *simple* Homoeopathic Medicines you are never sure of giving the right medicine.

V. - They are readily and easily given. You need not lose a moment. The Specific is ready just as you want it. The Medicator takes the dose from the bottle and places it upon the tongue of the horse or cow, without loss of time or danger. No bottling, baling, choking or strangling - irritating the animal and endangering the owner or his help.

VI.—They cure more quickly than any other Medicine. HUMPHREYS' SPECIFICS act through the medium of the nerves and the blood, rather than through the digestive organs. They begin to act before other medicines even reach the stomach. You cure diseases with HUMPHREYS' VETERINARY SPECIFICS which you cannot cure by any other treatment.

VII.—Every Ten Dollars invested in Humphreys' Veterinary Specifics will save you \$100, and every HUNDRED will save A THOUSAND IN PROPERTY, besides an equal amount in time, trouble and care.

VIII.—The saving in loss of stock is from one-half to three-fourths. This is the testimony of hundreds of horsemen.

IX.—The Treatment is humane, and if we may be humane as well as skillful, surely we should prefer it.

X.—Diagnosing the disease and giving of medicine is such as any sensible, faithful man of ordinary intelligence can master without difficulty.

LIST OF HUMPHREYS' VETERINARY SPECIFICS,

AND

Prominent Conditions which Each Cures.

pamphlets SENT FREE ON APPLICATION.

A.A. / FEVER, CONGESTIONS, CHILLS, / INFLAMMATIONS, Etc.

Cumulative for all Congestions, Inflammations, Fevers and febrile conditions; and for all the conditions attended with quick, pulse and rising pulse, great or moderate of the system, and for the sickness, shivering or panting which precede inflammation. Cures inflammations, as of the lungs or lungs (Pneumonia), inflammation of the Head or Face, Eyes, or of the Liver or Gall; also Throat or Gout; Head or Belly Strains, or Inflammation; and also Quick Pulse, Chills and Shivering, Milk Fever in Cows, Spinal Meningitis in Horses.

B.B. / STRAINS, LAMENESS, RHEU- CHILLS, / MATISM, INJURIES.

Especially valuable for all sprains or affections of the Muscles, Sinews, Tendons and Joints. Cures Fractures, Sprains and Swellings, Swellings, Lameness, Rheumatism, Spinal Strains.

C.C.) Distemper, Gleet or Strangles,
CURES { Influenza or Epizootic.

Especially curative for all diseases of the **Mucus Membrane and Glands.** Cures Epizootic; Distemper in Horses or Sheep; Nasal Gleet; Farcy and Glenders; Discharges from the Nose; Farcy Buds; Swelled Glands; Scab in Sheep; Distemper in Dogs.

D.D.)
CURES { WORMS, BOTS OR GRUBS.

Cures all diseases arising from **Bots, Grubs or Worms** in animals, and the morbid cause which produces them. Cures Diseases from Long, Round, Pin or Tape Worm; Colic or emaciation from Worms.

E.E.) Coughs, Heaves, Influenza,
CURES { Broken Wind, Whistles.

Cures diseases of the **Air Passages and Lungs**, especially after the more acute symptoms have been removed by the Specific **A.A.** Cures Thick Wind Inflamed Lungs or Pleura (Pleuro-Pneumonia).

F.F.) Colic, Belly-Ache. Wind-Blown,
CURES { Diarrhea, Dysentery.

Especially cures the various forms of **Colic or Enteralgia**, and derangements arising from **IM-PROPER FOOD, DERANGED DIGESTION OR OVER FEEDING.** Cures Colic, Spasmodic Wind or Inflammatory Colic; Belly ache, Gripes, Hoven or Wind Blown; **Diarrhea or Dysentery.**

G.G. / Miscarriage, Abortion, Hemorrhage, Retained After-Birth.
CURES.

Cures diseases of the reproductive system. Especially useful as a PREVENTION of **Miscarriage or Abortion**. Prevents Casting of Foal in Mares, Cows or Sheep; arrests Hemorrhages or Flooding; throws off the After birth, if retained.

H.H. / KIDNEY AND URINARY DISEASES, DROPSY, ETC.
CURES.

Cures diseases of the urinary apparatus, **Kidneys, Bladder and Appendages**. Inflammation of the Kidneys, Block of Urinary Passages, scanty, difficult, painful, suppressed or bloody urination, **Kidney Colic**.

I. I. / Eruptions, Mange, Farcy, Grease, Thrush, Abscess, Ulcers.
CURES.


Cures diseases of the **Skin and Underlying Tissues**; Abscesses and Ulcerations; Cutaneous Ulcers or Scrophulous Mange, Farcy, Grease, Itch, Acropodas, Scrophulous Abscesses, Fistulae, Cancers, Indurated Skin, Rough Coat.

Formerly J.J.

J.K. / Indigestion, Jaundice or Yellow Water, Constipation.
CURES.

Cures Morbid Conditions or Derangements of the Digestive System; Indigestion and Stiff and Cold; Jaundice or Green Food, Constipation or Yellow or Greenish, Watery Coat, also Paralysis, Stomach Stagners, Brittle Hoofs.

Humphreys' Veterinary Cure Oil.

 **HUMPHREYS' WITCH HAZEL OIL** has become such a favorite OINTMENT with Horse and Cattle owners, that in answer to numerous appeals Dr. HUMPHREYS has thought best to prepare a similar Ointment **EXCLUSIVELY** for **VETERINARY USE**, making such changes in its make and composition as to render it even MORE CURATIVE and BETTER ADAPTED FOR ALL DOMESTIC ANIMALS.

It is the Best possible Application and Cure for:

Injuries from Kicks, Nails, Thorns, Spikes, Barbed Wire, Stakes, or any Lacerated, Torn or Cut Wounds; Burns or Scalds; Sores or Indolent Ulcers; Sore, Scabby, Itching Patches or Bare Places on the Skin; Harness, Collar or Saddle Galls or Chafings; Sore Teats; Fistulas or Deep-seated Ulcers; Broken Knees or Open Joints; Old Scars; Horny Places or Warts; Hot Swellings; Boils or Tumors; Scratches, Greased or Cracked Heels; Broken Hoof; Sand or Quarter-Crack; Corns; Tender or Bruised Soles; Dry, Shaly or Ill-Growing Hoofs.

AS A HOOF OIL IT IS UNEQUALED.

Apply the "CURE OIL" with the end of the finger along the upper edge of the hoof after cleaning at night.

Large Jar, price - - - - \$1.00.

"APPROVAL."

The *Board of Cavalry Equipment of the United States Army*, comprising experienced and able officers, applied to the

Humphreys' Medicine Company.

for information in regard to their *Veterinary Specifics*. "The relative Loss of Stock, Cost of Treatment, etc."

After a thorough investigation, and inquiries made at the *Large Stables, Horse Rail Roads, and other places*, the medicines,

"The Board have Recommended their
Use in the Service."

The recommendation has been *Approved by the Quarter-Master General and General Sherman*, and the *Specifics* are now being distributed to the **DIFFERENT CAVALRY REGIMENTS, ARMY POSTS, ETC.**

ST. PAUL, Minn., Sept. 13, 1886.

MIDWAY PARK, N. W. KITTSON, Proprietor. I have been using DR. HUMPHREYS' VETERINARY SPECIFICS for the past four years in the stables of Commodore Kittson, and the results have been entirely satisfactory. We use the medicines exclusively for COUGHS, COLDS, FEVERS, ERUPTIONS, STIFFNESS and in short any ailment that our horses may have. Previous to using this medicine, our losses by death were large; since using the Specifics exclusively, we have not met with a single loss.

D. W. WOODMANSEL, Manager.

BUFFALO, N. Y. Jan. 26, 1886,

Our President, Mr. C. J. Hamlin, has for some time past been using your Specifics at his farm, and they have proved so beneficial that we have concluded to adopt them for use in the stables of the company. We have between 400 and 500 horses and mules.

Yours very truly,

THE AMERICAN GLUCOSE CO.

Dictated by T. A. B.

T. A. BUDD, P. A.

NEW YORK, Feb. 1, 1887.

ADAMS EXPRESS CO., Washington, D. C.

We have used "Humphreys' Veterinary Specifics" exclusively for the past five years in all kinds of sickness which our horses have been afflicted with, and invariably, in each and every instance with the greatest success and most favorable results. We take pleasure in specially recommending them to all owners of horses, as the safest, most simple, least expensive and most beneficial that we have ever tested. Very respectfully, G. W. MOSS, Agent.

I cheerfully subscribe to the above as correct in every particular. G. S. SMITH, Stable Manager.

BEWARE OF IMPOSITION.

The public are *cautioned against* buying medicines from

IRRESPONSIBLE PARTIES,

who sell worthless imitations by claiming to have been in Dr. HUMPHREYS' EMPLOY and to have learned to make his

VETERINARY SPECIFICS,

or others as good. Such stories are utterly *false, misleading and unworthy of confidence*. You are only safe in buying through my authorized agents

HUMPHREYS' VETERINARY SPECIFICS,

properly *Labeled, Lettered, with Name and Trade Mark blown in Bottle.*

F. HUMPHREYS, M. D.



Prices of Cases and Single Bottles.

SINGLE BOTTLES , containing 30 doses.....	8	.60
SINGLE BOTTLES , Medium Size, containing FOUR times as much as small bottles ...		2.00
SINGLE BOTTLES , Large Size, containing EIGHT times as much as small bottles.		3.00
SMALL STABLE CASE , Black Walnut, Handle, Lock and Key, containing Manual (450 pages), Ten bottles Specifics, Jar Veteri- nary Cure Oil, and Mediator.....		7.00
MEDIUM STABLE CASE , Black Walnut, Handle, Lock and Key, containing Manual (450 pages), Ten medium size bottles Spe- cifics, Jar Veterinary Cure Oil, and Mediator		20.00
LARGE STABLE CASE , Black Walnut, Handle, Lock and Key, containing Manual (450 pages), Ten large size bottles Specifics, Jar Veterinary Cure Oil, and Mediator,		30.00
HUMPHREYS' VETERINARY MANUAL (450 pages, with Chart).....		.50
MEDIATOR (for administering Specifics).....		.25
JAR VETERINARY CURE OIL		1.00

Sent prepaid (any quantity) to any address on receipt of price.

INDEX.

Acute Pharyngitis (Sore Throat).....	51, 104
Acute Dissection, of the Carotid Artery.....	19
Advantages of the Medical Profession.....	6, 7, 115
Alteration of Spectacles.....	16-17
Asthma	70, 107
<i>Intermittent</i>	95, 96
<i>Plural</i>	59, 108
<i>Phlegm</i> , quantity of.....	84, 112
" <i>inflammation</i> of.....	86, 112
Bleeding from the Uterus or Stomach.....	56, 124-25
Bones and Cartilages.....	82-3, 108
Bronchitis, <i>Chronic</i> or <i>Intermittent</i>	103, 108
Bronchitis, <i>Acute</i> of the Kidney.....	85, 110
Bronchitis.....	51-2, 101-2
" <i>Chronic</i>	52, 102
" <i>of Infants or Children</i>	27, 101
Carbuncles	82-3, 108
Cancer, <i>Chronic</i>	67-8, 106
" <i>Hay or Rose</i>	69, 107
" <i>of the Bladder</i>	84, 110
Chapped Lips or Lips.....	82, 104
Chorea of the.....	97, 113
Chicken-Pox.....	70
Cholera Infantum.....	35-6, 100
" <i>and Vomiting</i> , <i>Measures</i>	42-3, 101
" <i>Preventive</i> <i>Measures</i>	43, 101
" <i>Prevention of</i>	44
" <i>Intermittent</i>	44, 101
Chorea or St. Vitus' Dance.....	103, 113

Clergymen, Sore Throat of.....	53, 108
Coffee, Use of by the Sick.....	9
Cold in the Head.....	69, 106
Contagious Diseases.....	14
Colic, Billious.....	62, 101
“ of Infants.....	22, 100
Congestion of the Chest.....	49, 99
“ “ Head, in Children.....	16, 17, 99
“ “ Head, in Adults.....	17, 99
Constipated Bowels.....	59, 108
Coughs, Colds, etc.....	50-1, 101-2, 107
Cramps in the Stomach.....	61, 108
Croup and Prevention of.....	28-30, 104
Crying of Infants.....	21, 100
Debility, General.....	72, 109
“ Nervous.....	73, 111
Diabetes.....	87-8, 110
Diarrhea and Treatment.....	45-7, 100
“ of Children.....	25-6, 100
“ of Adults.....	45, 106
“ Chronic.....	46-7, 100
Diet or Regimen of the Sick.....	7-9
Diet During Cholera.....	43
Diet in Diarrhea, Dysentery and Cholera ...	28 47
Diet in Traveling.....	46
Diphtheria and Malignant Sore Throat.....	18, 114
Diseases, two or more.....	11-12
“ of the Organs of Digestion.....	57-62
Disease, first stage of.....	19, 99
Doses, Repetition of.....	12
Dropsy.....	99, 109
Dysentery and Treatment.....	47 8, 101
Dysenteric Diarrhea.....	47, 101
Dyspepsia and Weak Stomach.....	58 9, 108
Earache.....	67, 108
Ear, Discharge from.....	67, 108

Ears, Nodes and Ringing in	67, 108
Early Stage of Acute Disease	19
Eczema	80, 104
Epilepsy	82, 113
Eruptions	80, 104
Erysipelas	79, 104
Exercise of the Sick	9
Evil of Food, &c.	56, 99, 106
Female Disorders	90-7, 103, 104, 112, 113
Fever	34, 99
Fever, Simple or Inflammatory	35
" and Ague, Preventive and Cure	38-9, 105
" Bilious or Febrile	36, 99
" Enteric or Typhoid	40, 99
" Yellow	41, 99
Fevers in Children	12, 99
" Treatment of	14-15
" Prevention of	17
Flatulence	80, 103
Food for the Sick	8
Fretfulness and Worrying of Children	24, 100
Gastritis or Ulcer of the Stomach	61, 103
General Venereal	72, 109
Glands, Inflammation of	78, 108
Gout	108
Gonorrhea	87, 112
Gravel or Small Children	86, 110
Growth, Deficient in Children	78, 108
Hair of Anthers, Curious	69, 107
Headache and Treatment of	62, 63, 99, 102
" From the Nerves	95, 103
" From Constipation	65, 103
Hearing, Partial	67, 108
Heartburn	60, 103
Heart, Disease of	71, 113
Hemorrhage from the Lungs	56

Hemorrhage from the Stomach.....	56
" " Uterus.....	86, 123-4
Hemorrhoids or Piles	60, 106
Hoarseness and Loss of Voice.....	52, 101
Hysteria.....	83, 113
Inflammations	49, 99
Inflammation of the Brain	16-17, 99
" " Bladder	86-7, 112
" " Bowels	57, 99
" " Eyes and Eyelids.....	65, 106
" " Kidneys.....	86, 112
" " Lungs	53-4, 99
" " Urethra	87, 112
Indigestion or Billious Condition.....	59, 103
Influenza	53, 69, 101, 106
Itching of the Anus	77, 107
Kidneys, Disease of the.....	72, 85, 110
" Inflammation of.....	86, 112
Leucorrhœa or Whites	94, 103-4, 112
Lumbago, or Pain in the Loins	75, 105, 109
Malaria.....	37-8, 103, 105
Measles.....	15, 99
Menses, too Profuse	92, 104, 112
" Tardy or Delaying.....	91, 103
" Scanty.....	91, 103
" Painful.....	92, 103, 112
" Suppressed.....	92, 103
" Cessation of.....	97, 113
Menstruation.....	90, 103
Morning Sickness	97, 111
Mumps	16, 108
Nausea and Vomiting	57, 101
Nervous Debility, Nervous Condition	73, 111
Nettle-Rash	89, 104
Neuralgia	65, 102
Palpitation of the Heart	71, 113

Paralysis, Partial.....	108
Piles or Hemorrhoids.....	80, 106
Pimples on the Face.....	81, 106
Pleurisy.....	98, 99
Pneumonia.....	88-9, 99
Prolapsus Uteri.....	95-6, 104
Pruritis (Itching).....	98, 104, 112
Quinsy or Sore Throat.....	17, 99, 114
Rheumatism.....	74, 99, 106
Rose Catarrh.....	69, 107
Salt Rheum.....	81, 104
Scald Head.....	81, 104
Scarlet Fever and Scarlatina.....	18-19, 99
" " Prevention of.....	18-19
" " Treatment of.....	18, 99, 108
Sciatica.....	75, 106
Scrofula.....	77, 106
Sea-Sickness.....	76, 108
Shingles, a form of Erysipelas.....	80, 104
Sight, Weakness of.....	66, 106
Skin, Diseases of.....	79-89, 104
Sleeplessness of Infants.....	22, 100
" and Nervousness of Adults....	63, 99, 100
Slow Growth and Feebleness of Infants.....	24, 100
Small-Pox.....	83, 104
Sore Mouth, Canker.....	24, 111
Sore Throat or Quinsy.....	17, 99, 114
Spasms or Convulsions.....	81, 112
Special Prescription for Chronic Lung Dis's.....	52
" " " Catarrh.....	66
" " " Diabetes.....	116
" " " Eruptions.....	80
" " " Goitre Cure.....	106
" " " Kidney Diseases....	86
" " " Urin'y Incontinence.....	112
Species, Alternation of.....	10-11

Specifics, Advantages of.....	6-7, 115
“ Discovery of.....	6
“ Do not Deteriorate.....	5
“ How they Differ.....	4-7
“ How to Prepare and Take.....	11-12
“ How to Select.....	10-11
“ Not Hurtful.....	5
“ Preservation and Keeping of.....	5
“ Repetition of.....	12
Sprue or Sore Mouth of Infants.....	84, 111
St. Vitus' Dance or Chorea.....	83, 113
Stye on the Eyelid.....	66, 106
Sun Stroke, Effects of Over-Heating.....	99
Tape-Worm.....	77, 100
Teething.....	23-4, 100
Tetters.....	80, 104-5
Tobacco, its Use and Avoidance.....	10
Tonsillitis.....	17, 108
Tonsils, Enlargement of.....	78, 108
Toothache.....	64, 102
Tumors.....	78, 108
Ulcers.....	82, 104, 108
Urinary Diseases.....	83, 110, 112
“ Incontinence.....	89, 112
Urination, Painful or Scanty.....	88, 110, 112
Varioloid.....	83, 104
Vomiting of Pregnant Women.....	97, 112
“ of Blood.....	56
Wakefulness of Infants.....	22, 100
Weak Stomach.....	58, 108
Wetting the Bed.....	27, 108, 112
Whites or Leucorrhœa.....	94, 104
Worm Fever.....	20-1, 100
Worms, Symptoms and Treatment of.....	19, 77, 100
Whooping Cough.....	30, 107
Yellow Fever.....	41

SPECIAL PRESCRIPTIONS.

Dr. HUMPHREYS has used in his extensive practice for many years, particular prescriptions which have proved so uniformly curative and are so often called for, that he has been induced to put them up in popular form with full directions for use, and to catalogue them as his "SPECIAL PRESCRIPTIONS" as follows:—

Special No. Seven.—For the cure of **Chronic Cough and Lung Diseases**; Bronchitis, Weakness and Debility; Emaciation; Pain in the Side or Chest; Pulmonary Weakness.

Special No. Fourteen.—For the cure of **Chronic Eruptions**; Eczema; Tetters; Salt Rheum; Scald Head, Itching, Inveterate Herpes, Dandruff, Pimples in the Face; Chaps; Unhealthy Skin.

Special No. Nineteen.—**Chronic Nasal Catarrh**; Ozæna; Profuse and even Offensive Discharge; Accumulation of Mucous in the Nose or Throat.

Special No. Twenty-seven.—**Disease of the Kidneys**; Degeneration and Bright's Disease; Uræmia; Enlarged Prostate; Catarrh of Bladder.

Special No. Thirty.—**Disease of the Bladder and Urethra**; Too Frequent Burning or Scalding, Inability to retain at night or by day; Chronic Urinal Debility, Constitutional or from Infirmary.

Special No. Thirty-three.—For **Epilepsy, Spasms, St. Vitus' Dance, Chorea, Convulsions, Falling Sickness, Involuntary Motions, Jerkings, Twitchings of Single Muscles or Limbs.**

Special No. Thirty-six.—For **Disease of the Bones**; Enlarged, Inflamed, or Suppurated Glands; Ear Discharges; Old Eruptions; Chapped Hands; Offensive Sweat.

These are put up in neat packages of Two Large SIX DRAM VIALS each, with full directions, and sent free to any address on receipt of the price, \$2.00 each

Special Cholera Case.—For **Prevention and Cure. THREE VIALS**, in a neat case with PAMPHLET and full directions for use, \$2.00
IN LARG^E ONE OUNCE VIALS, - - - 3.00



HUMPHREYS'
VETERINARY SPECIFICS

HUMPHREYS'
SPECIFICS.

HUMPHREYS'
WITCH HAZEL OIL

FOR SALE BY

A. L. STRONG,

1 Loomis Block,

SUFFIELD, CONN.

DRUGS AND CHEMICALS,
TOILET AND FANCY ARTICLES,
PRESCRIPTIONS CAREFULLY COMPOUNDED
AT ALL HOURS.

OR SENT BY MAIL OR EXPRESS PREPAID ON DELIVERY AT FULL PRICE.